GERMAN QUALITY
since 1892

# SEVERIN

TASTEFUL TECHNOLOGY

James
SEVERIN AND THE WONDERMACHINE

PLUS X AWARD®
2015 achieved for:
High Quality
Design
Ease of Use
Functionality

## Programme **2015** | GB

## TABLE OF CONTENTS


| Art. No. | page | Art. No. | page | Art. No. | page | Art. No. | page | Art. No. | page |
|---|---|---|---|---|---|---|---|---|---|
| HT 0112 | 123 | RG 2341 | 109 | BA 3256 | 117 | SM 3719 | 89 | KA 5827 | 25 |
| HT 0130 | 124 | RG 2343 | 109 | BA 3274 | 117 | SM 3730 | 87 | KA 5828 | 25 |
| HT 0140 | 124 | PG 2367 | 97 | BA 3276 | 117 | SM 3731 | 86 | KA 5978 | 16 |
| HT 0141 | 123 | PG 2368 | 97 | WK 3333 | 37 | SM 3732 | 85 | KA 5990 | 15 |
| HT 0150 | 125 | KG 2388 | 106 | WK 3342 | 36 | SM 3735 | 57 | KA 5991 | 16 |
| HT 0152 | 126 | KG 2389 | 107 | WK 3348 | 37 | SM 3736 | 87 | KA 5992 | 16 |
| HT 0163 | 126 | KG 2392 | 107 | WK 3349 | 36 | SM 3737 | 88 | KA 5993 | 16 |
| HT 0164 | 125 | KG 2397 | 106 | WK 3360 | 42 | SM 3738 | 88 | PW 7009 | 133 |
| HC 0614 | 128 | FO 2400 | 111 | WK 3361 | 42 | PC 3751 | 78 | PW 7010 | 133 |
| HC 0621 | 128 | FR 2408 | 73 | WK 3362 | 39 | SM 3795 | 86 | EZ 7404 | 78 |
| LS 0670 | 127 | FR 2419 | 73 | WK 3363 | 42 | SM 3798 | 85 | FM 7635 | 132 |
| LS 0674 | 127 | FR 2431 | 72 | WK 3364 | 38 | HM 3810 | 83 | MW 7803 | 58 |
| HS 0702 | 131 | FR 2433 | 73 | WK 3369 | 38 | HM 3816 | 83 | MW 7809 | 63 |
| HS 0704 | 131 | FR 2437 | 72 | WK 3381 | 40 | HM 3820 | 84 | MW 7810 | 63 |
| HS 0707 | 131 | SV 2447 | 70 | WK 3384 | 40 | HM 3821 | 84 | MW 7848 | 59 |
| HS 0781 | 132 | MC 2448 | 69 | WK 3387 | 41 | HM 3822 | 84 | MW 7849 | 61 |
| WL 0801 | 129 | AT 2509 | 46 | WK 3388 | 41 | HM 3827 | 84 | MW 7864 | 60 |
| WL 0802 | 130 | AT 2514 | 43 | WK 3389 | 40 | DO 3854 | 71 | MW 7873 | 62 |
| WL 0805 | 129 | AT 2515 | 46 | WK 3390 | 39 | UZ 3861 | 87 | MW 7874 | 62 |
| WL 0806 | 130 | AT 2516 | 43 | WK 3391 | 39 | KM 3868 | 29 | MW 7875 | 62 |
| WL 0811 | 130 | RG 2681 | 110 | WK 3392 | 39 | KM 3873 | 29 | MW 7877 | 59 |
| DK 1014 | 68 | RG 2683 | 110 | WK 3460 | 34 | KM 3874 | 29 | MW 7879 | 61 |
| DK 1031 | 67 | RG 2685 | 108 | WK 3461 | 34 | KM 3895 | 56 | MW 7880 | 58 |
| DK 1042 | 68 | RG 2686 | 110 | WK 3470 | 35 | KM 3908 | 82 | AH 7914 | 118 |
| KP 1071 | 67 | RG 2687 | 108 | WK 3471 | 35 | KM 3909 | 82 | CS 7976 | 118 |
| KP 1091 | 68 | PG 2785 | 99 | WK 3482 | 41 | AS 3915 | 92 | KV 8021 | 14 |
| KP 1092 | 68 | PG 2786 | 99 | WK 3485 | 41 | KM 3916 | 91 | KV 8023 | 14 |
| PG 1511 | 101 | PG 2790 | 100 | WK 3495 | 40 | AS 3950 | 92 | KV 8025 | 14 |
| PG 1525 | 101 | PG 2791 | 100 | JG 3516 | 51 | EM 3965 | 93 | KV 8055 | 11 |
| TO 2034 | 65 | PG 2792 | 104 | JG 3519 | 51 | BM 3990 | 69 | KV 8061 | 10 |
| KH 2044 | 63 | PG 2794 | 98 | JG 3523 | 51 | KA 4114 | 23 | KV 8062 | 10 |
| TO 2052 | 66 | KB 2922 | 103 | CP 3534 | 50 | KA 4115 | 23 | KV 8080 | 13 |
| TO 2054 | 66 | OD 2940 | 79 | CP 3536 | 50 | KA 4131 | 22 | KV 8081 | 12 |
| TO 2056 | 64 | SA 2967 | 75 | ES 3562 | 91 | KA 4141 | 22 | PG 8521 | 105 |
| TO 2057 | 65 | SA 2968 | 74 | ES 3563 | 90 | KA 4177 | 20 | PG 8522 | 104 |
| TO 2058 | 64 | SA 2969 | 74 | ES 3564 | 90 | KA 4178 | 20 | PG 8523 | 105 |
| HA 2082 | 78 | SA 2971 | 75 | ES 3567 | 57 | KA 4190 | 19 | PG 8526 | 102 |
| WA 2103 | 77 | EK 3050 | 49 | ES 3568 | 57 | KA 4191 | 19 | PG 8527 | 98 |
| WA 2104 | 77 | EK 3051 | 49 | SM 3590 | 28 | KA 4312 | 20 | KA 9233 | 24 |
| WA 2106 | 76 | EK 3056 | 49 | SM 3591 | 28 | KA 4460 | 18 | KA 9234 | 24 |
| WA 2113 | 76 | EK 3127 | 48 | SM 3592 | 28 | KA 4462 | 18 | FO 9237 | 111 |
| CM 2198 | 79 | EK 3134 | 48 | SM 3593 | 28 | KA 4478 | 21 | PG 9320 | 102 |
| AT 2232 | 47 | EK 3156 | 48 | SM 3594 | 28 | KA 4479 | 21 | KA 9481 | 23 |
| AT 2234 | 47 | EK 3157 | 48 | FS 3604 | 71 | KA 4481 | 21 | KA 9482 | 24 |
| AT 2260 | 45 | EK 3161 | 49 | FS 3609 | 70 | KA 4484 | 21 | SM 9494 | 27 |
| AT 2281 | 44 | BA 3210 | 115 | WK 3644 | 42 | KA 4489 | 21 | SM 9495 | 27 |
| AT 2284 | 44 | BA 3211 | 118 | EA 3650 | 80 | KA 4490 | 19 | DF 9597 | 28 |
| AT 2287 | 45 | Ba 3222 | 115 | EA 3653 | 80 | KA 4491 | 19 | MW 9675 | 60 |
| AT 2288 | 45 | BA 3234 | 117 | EA 3657 | 81 | KA 4492 | 19 | SM 9684 | 27 |
| AT 2289 | 44 | BA 3241 | 116 | EA 3658 | 81 | KA 4805 | 21 | SM 9685 | 26 |
| AT 2290 | 44 | BA 3242 | 116 | KW 3667 | 93 | KA 5702 | 17 | SM 9688 | 26 |
| AT 2291 | 44 | BA 3243 | 116 | KW 3669 | 93 | KA 5742 | 17 | | |
| AT 2292 | 44 | BA 3251 | 117 | SM 3718 | 89 | KA 5802 | 25 | | |


## OUR PRODUCT RANGE

SEVERIN


6 **COFFEE**

Coffee Makers, Coffee Mills, Espresso Makers, Fully Automatic Coffee Machines, Milk Frothers

30 **BREAKFAST**

Automatic Toasters, Jug Kettles, Egg Boilers, Lemon Squeezers, Yoghurt Maker

52 **KITCHEN**

Bag Sealer, Blenders, Breadmaker, Crêpes Makers, Deep Fryers, Electric Can Opener, Electric Kitchen Scales, Electric Knife, Electric Universal Slicers, Food Chopper, Food Mixers, Food Processors, Fruit Dryer, Hand Blenders, Ice-Cream Maker, James the Wondermachine, Juice Extractors, Microwaves, Multi-Cooker, Multi-Grater, Multimixer, Popcorn Maker, Preserving Boilers, Sandwich-Toasters, Smoothie Mix & Go, Sous-Vide Cooker, Steamers, Slow Juicer, Table Stoves, Toast Ovens, Vacuum Sealer, Wafer Maker, Waffle Makers

94 **BARBECUE**

Automatic Grills, Barbecue Grills, Electric Cool Box, Fondue Sets, Raclettes, Table Grill

112 **HOUSEHOLD**

Dry Iron, Fluff Razor, Rechargeable Vacuum Cleaners, Steam Dry Irons

120 **PERSONAL CARE**

Bathroom Scales, Foot Massager, Hair Curlers, Hair Cutting Sets, Hair Straighteners, Hairdryers, Hot-Air Hair Curlers

SEVERIN

GERMAN QUALITY
since 1892

## Excellent brand quality. In demand all over the world.

Achieving maximum impact with top-class quality – that's the challenge we set ourselves every day. Excellent technology, high practicality and absolutely solid value are therefore important fundamental properties that are reflected in every SEVERIN brand product which make them reliable everyday companions in your day-to-day life. Whether it's our coffee machines, kitchen appliances, grills, hair or body care products – many years of know-how and passion for extraordinary product quality go into every device. The "German Quality since 1892" seal and our leading position on numerous markets prove to us that our efforts have been worthwhile and inspire us to continue making more customers happy all over the world.

It goes without saying that we also want to achieve this by being available to you with help and advice. If you have any questions or suggestions relating to our products or the SEVERIN brand, our Customer Service team would be pleased to assist you and will deal quickly with your concerns.

**For over 130 years, the SEVERIN brand has been synonymous with uncompromising quality, absolute reliability and innovations that make everyday life easier.**

TOP 100 top innovator 2014

We have invested a lot in our research and development with the aim of enthusing our customers. And we've succeeded. Over the past 24 months alone, we have been able to register a large number of patents and launch over 70 new products – from coffee machines to toasters to mixers onto the market. We are especially proud of one reward for our efforts: We have been awarded the „TOP100 Seal" and are now officially one of Germany's most innovative medium-sized companies. For myself and my colleagues, this award is not only an acknowledgement but also an incentive to continue along the same road.

**Rudolf Schulte**
Managing Director

fit FOR FUN

PLUS X AWARD BEST PRODUCT OF THE YEAR 2014

PLUS X AWARD Design Ease of Use

## Our know-how in the kitchen

**Our products make faithful kitchen assistants every day.**
Since the beginning of the year, nearly a dozen of our products have received either a **design prize** or **outstanding test ratings**.

One particular highlight for SEVERIN is this year's new addition to our family, the wonder machine »James«: Always friendly but up to any task, the unmistakable character of our new multi-functional kitchen appliance will become an established part of our range and will impress with its wide variety of functions and uses that are just waiting to be discovered by you and your creative streak.

PLUS X AWARD High Quality Design Ease of Use Functionality

MADE IN
GERMANY
since 1892

SEVERIN

# Coffee

Whether it's a creamy and delicate Cappuccino, a perfect Latte Macchiato with a dollop of fluffy milk froth on top or a little black refresher with its incomparable aromatic note: for those "Italian" moments in life, the automatic coffee machines from our extensive range will always deliver optimum pleasure. And they cover all bases with their innovative technologies – such as the practical induction milk frother that transforms milk into froth in no time at all, or the Vapotronik® boiling system that brews coffee like it's hand made. Simply fantastico!

VAPOTRONIK®
Café Caprice
BREWING SYSTEM

AUTO OFF

**NEW** **Coffee Maker »Café Caprice«**
**KA 5702**

## FULLY AUTOMATIC COFFEE MACHINE – TIPS & TRICKS

**Our fully automatic coffee machine PICCOLA premium KV 8061** was the only appliance in the under 650 Euros price bracket to receive the **test rating GOOD** from Germany's **"Stiftung Warentest"**. This latest award marks another step in our successful history, following on from this innovative product already having received the Plus X Award and the Kitchen Innovation Prize last year.

The appliance also gives the user **practical additional information**. The QR code on the product links the user's smartphone or tablet directly to the PICCOLA "Tips & Tricks" Web site, which is optimized for use with mobile devices. Here coffee lovers will find **everything worth knowing about all aspects of their machine, covering subjects such as settings, coffee types, cleaning and flavour.**

## KV 8061

KV 8062

## KV 8055

| | |
|---|---|
| **Description** | **Fully Automatic Coffee Machine »PICCOLA premium«** including thermo milk container (ZB 8684) |
| **Art. No.** | **KV 8061** |
| **Colour/Material** | silver-metallic-black |
| **PU** | display carton, 1 piece |
| **Wattage** | **approx. 1600 W** |

**Features**

**One Touch Technologie**
- Capuccino, Latte Macchiato, White Coffee at the press of one button without moving the cup
- one of the most compact One-Touch fully automatic coffee makers
- perfect coffee temperature starting with the very first cup
- flavour seal for longer-lasting coffee aroma

**Unique Hygiene System**
- patented, removable brewing unit (volume: 6 - 10 g)
- removable and dishwasher safe coffee-milk spout
- automatic programmes for cleaning, rinsing and descaling
- 2-stage milk system cleaning programme

**Intuitive Operation**
- easy programming and operation via function keys
- multilingual High-Contrast Full Graphic Display: 12 languages with dynamic icons

**Individual settings and programming options**
- grinder with high-grade ceramic grinding disks and 5 adjustable grinding degrees
- height adjustable coffee-milk spout: 65 – 135 mm
- energy-saving automatic switch-off after 1 minute – 12 hours, individually adjustable
- adjustable water hardness for optimal adaption of water filter to the machine (filter included in delivery)
- 3 temperature levels
- coffee strength and volume adjustable: 3 steps + 1 personalised setting
- Quick-select function: Fast access to user-defined settings without the need to save

**German design and engineering**

**Data**
- high efficiency pump, max. 15 bar pressure
- 1600 W / 220-240 V
- volume bean container: 140 g
- milk hose bracket
- volume water tank: 1.35 l
- volume coffee dregs container: 10 portions
- stainless steel grid
- ground-coffee chamber for an additional type of ground coffee
- dimensions: W = 22.8 cm, H = 31.6 cm, D = 38.7 cm

**Accessories**
- Starter-set: cleaning tablets, milk tube, water filter, water hardness testing strip

**Vacuum Milk Container ZB 8684**
- double-wall stainless steel housing
- capacity: 0.5 l
- intake hose included
- keeps milk cold for hours

CE

| | |
|---|---|
| **EAN** | 4008146009754 |
| **Other colours / EAN** | **KV 8062** »premium« red metallic-black / 4008146010415 including thermo milk container (ZB 8684) |

**TIPS AND TRICKS VIA QR-CODE**
Useful tips and tricks available via QR-Code.

| | |
|---|---|
| **Fully Automatic Coffee Machine »PICCOLA classica«** | |
| **KV 8055** | |
| black matt/shiny | |
| display carton, 1 piece | |
| **approx. 1600 W** | |

**One Touch Technologie**
- Capuccino, Latte Macchiato, White Coffee at the press of one button without moving the cup
- one of the most compact One-Touch fully automatic coffee makers
- perfect coffee temperature starting with the very first cup
- flavour seal for longer-lasting coffee aroma

**Unique Hygiene System**
- patented, removable brewing unit (volume: 6 - 10 g)
- removable and dishwasher safe coffee-milk spout
- automatic programmes for cleaning, rinsing and descaling
- 2-stage milk system cleaning programme

**Intuitive Operation**
- easy programming and operation via function keys
- multilingual High-Contrast Full Graphic Display: 12 languages with dynamic icons

**Individual settings and programming options**
- grinder with high-grade ceramic grinding disks and 5 adjustable grinding degrees
- height adjustable coffee-milk spout: 65 – 135 mm
- energy-saving automatic switch-off after 1 minute – 12 hours, individually adjustable
- adjustable water hardness for optimal adaption of water filter to the machine (filter included in delivery)
- 3 temperature levels
- coffee strength and volume adjustable: 3 steps + 1 personalised setting
- Quick-select function: Fast access to user-defined settings without the need to save

**German design and engineering**

**Data**
- high efficiency pump, max. 15 bar pressure
- 1600 W / 220-240 V
- volume bean container: 140 g
- milk hose bracket
- volume water tank: 1.35 l
- volume coffee dregs container: 10 portions
- stainless steel grid
- ground-coffee chamber for an additional type of ground coffee
- dimensions: W = 22.8 cm, H = 31.6 cm, D = 38.7 cm

**Accessories**
- Starter-set: cleaning tablets, milk tube, water filter, water hardness testing strip

**TIPS AND TRICKS VIA QR-CODE**
Useful tips and tricks available via QR-Code.

CE

4008146009747

NEW

## KV 8081

| | |
|---|---|
| **Description** | **Fully Automatic Coffee Machine »PICCOLA induzio«** with induction milk frother (SM 9495) |
| **Art. No.** | **KV 8081** |
| **Colour/Material** | black matt/shiny |
| **PU** | display carton, 1 piece |
| **Wattage** | **approx. 1600 W** |

**Features**

**Coffee and Espresso – focusing on the essentials**
- one of the most compact fully automatic coffee machines
- perfect coffee temperature starting with the very first cup
- coffee and espresso to perfection
- use beans or pre-ground coffee
- flavour seal for longer-lasting coffee aroma

**Unique Hygiene System**
- patented, removable brewing unit (volume 6 – 10 g)
- automatic programmes for cleaning, rinsing and descaling

**Intuitive Operation**
- easy programming and operation via function keys
- multilingual High-Contrast Full Graphic Display: 12 languages with dynamic icons

**Individual settings and programming options**
- grinder with high-grade ceramic grinding disks and 5 adjustable grinding degrees
- height-adjustable outlet: 65 – 135 mm
- energy-saving automatic switch-off after 1 minute – 12 hours, individually adjustable
- adjustable water hardness for optimal adaption of water filter to the machine
- 3 temperature levels
- coffee strength and volume adjustable: 3 steps + 1 personalised setting
- Quick-select function: Fast access to user-defined settings without the need to save

**German design and engineering**

**Data**
- high efficiency pump, max. 15 bar pressure
- 1600 W / 220-240 V
- volume bean container: 140 g
- volume water tank: 1.35 L
- volume coffee dregs container: 10 portions
- stainless steel grid
- ground-coffee chamber for an additional type of ground coffee
- dimensions: W = 22.8 cm, H = 31.6 cm, D = 38.7 cm

**Induction milk frother SM 9495:**

**The perfect complement for coffee and milk specialities**
- **barista-quality milk froth**
- induction technique: no scorching
- great cleaning convenience: stainless-steel milk container, dishwasher-safe
- **user-friendly 360° system: container can be fitted from any direction**
- the perfect complement to the SEVERIN fully automatic coffee machines, for delicious coffee and milk specialities such as latte macchiato, cappuccino, café au lait
- interchangeable attachments for heating up and frothing, integrated storage space in the lid
- wattage approx. 500 W, capacity approx. 180 ml
- **automatic switch-off**

**Accessories**
- water hardness testing strip, manual

**TIPS AND TRICKS VIA QR-CODE**
Useful tips and tricks available via QR-Code.

CE

**EAN** 4008146016943



coffee & espresso

NEW

## KV 8080

**Fully Automatic Coffee Machine »PICCOLA semplice«**

**KV 8080**

black matt/shiny

display carton, 1 piece

**approx. 1600 W**

**Coffee and Espresso – focusing on the essentials**
- one of the most compact fully automatic coffee machines
- perfect coffee temperature starting with the very first cup
- coffee and espresso to perfection
- use beans or pre-ground coffee
- flavour seal for longer-lasting coffee aroma

**Unique Hygiene System**
- patented, removable brewing unit (volume 6 – 10 g)
- automatic programmes for cleaning, rinsing and descaling

**Intuitive Operation**
- easy programming and operation via function keys
- multilingual High-Contrast Full Graphic Display: 12 languages with dynamic icons

**Individual settings and programming options**
- grinder with high-grade ceramic grinding disks and 5 adjustable grinding degrees
- height-adjustable outlet: 65 – 135 mm
- energy-saving automatic switch-off after 1 minute – 12 hours, individually adjustable
- adjustable water hardness for optimal adaption of water filter to the machine
- 3 temperature levels
- coffee strength and volume adjustable: 3 steps + 1 personalised setting
- Quick-select function: Fast access to user-defined settings without the need to save

**German design and engineering**

**Data**
- high efficiency pump, max. 15 bar pressure
- 1600 W / 220-240 V
- volume bean container: 140 g
- volume water tank: 1.35 L
- volume coffee dregs container: 10 portions
- stainless steel grid
- ground-coffee chamber for an additional type of ground coffee
- dimensions: W = 22.8 cm, H = 31.6 cm, D = 38.7 cm

**Accessories**
- water hardness testing strip, manual

**TIPS AND TRICKS VIA QR-CODE**
Useful tips and tricks available via QR-Code.

CE

4008146016936

## KV 8021

**KV 8023 · KV 8025**

| | |
|---|---|
| **Description** | **Fully Automatic Coffee Machine »S2⁺** ONE TOUCH« |
| **Art. No.** | **KV 8021** |
| **Colour/Material** | silver |
| **PU** | display carton, 1 piece |
| **Wattage** | **approx. 1500 W** |
| **Capacity** | |
| **Features** | **One Touch Technology**<br>· Cappuccino, Latte Macchiato, White Coffee at the press of one button without moving the cup<br><br>**Unique Hygiene System**<br>· patented, removable brewing unit (volume 6 - 10 g)<br>· removable and dishwasher safe coffee-milk spout<br>· automatic programmes for cleaning, rinsing and descaling<br>· 2-stage milk system rinsing programme<br><br>**Intuitive Operation**<br>· intuitive operation thanks to rotary switch E-Select<br>· multilingual High-Contrast Full Graphic Display: 11 languages with dynamic icons<br><br>**Individual settings and programming options**<br>· grinder with high-grade ceramic grinding disks and 5 adjustable grinding degrees<br>· height adjustable coffee-milk spout: 80 – 135 mm<br>· individually adjustable switch-off time<br>· adjustable water hardness for optimal adaption of water filter to the machine (filter included in delivery)<br>· 5 temperature levels to choose from<br>· Coffee strength and volume adjustable: 3 steps + 1 personalised setting<br>· Quick-Select-Function<br><br>**German design and engineering**<br><br>**Data**<br>· 2 high efficiency pumps, max. 15 bar pressure<br>· 1500 W / 220-240 V<br>· 2 high efficiency heaters<br>· volume bean container: 140 g with optical indication and aroma protection seal<br>· Milk hose bracket<br>· volume water tank: 1.5 l<br>· volume coffee dregs container: 12 portions<br>· energy-efficiency 20% better than energy label A by Energy-On-Demand-System<br>· stainless steel grid<br>· ground coffee funnel<br>· dimensions W=24 cm, H=35 cm, D=33 cm<br><br>**Accessories**<br>· Starter Set includes: cleaning tablet, milk tube, water filter, water hardness testing strip |
| | CE |
| **EAN** | 4008146003752 |
| **Other colours / EAN** | **KV 8023** black-shiny / 4008146003943<br>**KV 8025** red-metallic / 4008146003950 |

## ACCESSORIES

**ZB 8699**

**Water filter**
4008146869907
Plastic bag, 6 pcs.

**ZB 8684**

**Thermo milk container**
4008146002809
1 colour retail carton, 6 pcs.

**ZB 8698**

**Cleaning tablets**
4008146869808
Display carton, 20 pcs.

**ZB 8694**

**Milk system cleaner**
4008146869402
Plastic bottle, 20 pcs.

**ZB 8697**

**Descaling tablets**
4008146869709
Display carton, 20 pcs.

**ZB 8696**

**Milk intake hose**
4008146004599
Display carton, 6 pcs.

**ZB 8688**

**Coffee Blend**
4008146009792
PU 12 pcs.

## KA 5990

| | |
|---|---|
| **Espresso Maker** | |
| **KA 5990** | |
| brushed stainless-steel, black | |
| Display carton, 1 piece | |
| **approx. 1200 W** | |
| approx. 2.1 l | |
| | · **for the professional preparation of espresso, cappuccino, latte macchiato and hot beverages**<br>· **Thermoblock heating system for quick heating and constant temperatures**<br>· up to 15 bar pump pressure for perfect espresso<br>· **stainless steel sieve carrier with sieve inserts for 1 and 2 cups**<br>· **1 insert for espresso pods (ESE)**<br>· removable, transparent water tank, content approx. 2.1 litres<br>· swivelling steam tube with removable milk foam nozzle for foaming milk and preparing hot beverages<br>· rotary switch for espresso preparation, hot water and generating steam<br>· selection button for hot water or steam with control lamp<br>· on-off button with control lamp<br>· removable stainless steel drainboard and drip tray with fill level indicator<br>· **heated cup surface**<br>· includes coffee spoon and milk foaming container |
| | AUTO OFF |
| | CE |
| | 4008146004124 |

NEW

VAPOTRONIK®
Café Caprice
BREWING SYSTEM

NEW

VAPOTRONIK®
Café Caprice
BREWING SYSTEM

NEW

## KA 5991

KA 5992 · KA 5993

## KA 5978

## KA 5742

## KA 5702

| | KA 5991 | KA 5978 | KA 5742 | KA 5702 |
|---|---|---|---|---|
| **Description** | **Espresso Maker** | **Espresso Maker** | **Coffee Maker »Café Caprice Thermoline«** | **Coffee Maker »Café Caprice«** |
| **Art. No.** | **KA 5991** | **KA 5978** | **KA 5742** | **KA 5702** |
| **Colour/Material** | white-green | black | brushed stainless steel-black | brushed stainless steel-black |
| **PU** | display carton, PU 2 pcs. | display carton, 3 pcs. | display carton, 2 pcs. | display carton, 2 pcs. |
| **Wattage** | **approx. 1250 W** | **approx. 800 W** | **approx. 1400 W** | **approx. 1450 W** |
| **Capacity** | approx. 1 l | up to 4 cups of espresso | for 8 cups | for 8 cups |
| **Features** | · prepares espresso<br>· **thermo-block heating system for rapid heating and constant temperatures**<br>· **pump pressure up to 15 bar for the perfect espresso**<br>· **stainless-steel filter holder with 2 filter inserts** (for single or double espresso)<br>· **1 insert for espresso pods (ESE)**<br>· **pre-brew function for even more flavour**<br>· removable water container, capacity approx. 1 l<br>· on/off switch<br>· pilot light<br>· ready-to-use indicator light<br>· removable drip tray, easy to clean<br>· rotary control for espresso preparation<br>· coffee spoon | · **pressure tank (3.5 bar) approx. 220 ml capacity with safety valve**<br>· steam nozzle to froth milk for cappuccino and for preparing hot drinks<br>· steam nozzle can be removed for cleaning<br>· **automatic switch-off**<br>· selector switch for coffee or steam<br>· **auto-pressure relief function when switched off**<br>· pilot light<br>· glass jug with water level marks<br>· easy to clean removable drip tray<br>· coffee spoon<br><br>**glass jug with lid**<br>approx. 0.35 l<br>Art. No. GK 5412 | · **VAPOTRONIK® BOILING SYSTEM* with steam cut-out, for coffee pleasure as if brewed by hand**<br>· **stainless steel vacuum jug with aroma protection lid and screw cap**<br>· **automatic switch-off**<br>· pivoted filter 1 x 4 with aroma protection lid and non-drip valve<br>· on-switch with pilot light for boiling process<br>· water level marks inside stainless steel water container<br>· cable storage<br><br>**unbreakable, double wall stainless steel vacuum jug with screw cap**<br>approx. 1.0 l<br>Art.-No. TK 9567 | · **VAPOTRONIK® BOILING SYSTEM* with steam cut-out, for coffee pleasure as if brewed by hand**<br>· hotplate<br>· **automatic switch-off**<br>· pivoted filter 1 x 4 with aroma protection lid and non-drip valve<br>· on/off switch with pilot light for keeping warm function<br>· on-switch with pilot light for boiling process<br>· water level marks inside stainless steel water container and on glass jug<br>· cable storage<br><br>**glass jug with lid**<br>approx. 1.2 l<br>Art.-No. GK 5400 |
| | AUTO OFF | AUTO OFF | THERMO AUTO OFF | AUTO OFF |
| | CE | CE | CE | CE |
| **EAN** | 4008146010354 | 4008146018831 | 4008146017575 | 4008146017612 |
| **Other colours / EAN** | **KA 5992** white-cyan / 4008146011641<br>**KA 5993** white-pink / 4008146011665 | | | |

***VAPOTRONIK® BOILING SYSTEM:** The optimal brewing temperature (approx. 98 °C) and the short contact time between water and coffee powder guarantee a fully-developed coffee aroma and a significant reduction of tannins and bitter residues.

★ ★ ★
MADE IN GERMANY
since 1892

★ ★ ★
MADE IN GERMANY
since 1892

NEW

## KA 4460

| | |
|---|---|
| **Description** | **Coffee Maker with Timer »SUPREME«** |
| **Art. No.** | **KA 4460** |
| **Colour/Material** | brushed-stainless-steel-black |
| **PU** | display carton, 3 pcs. |
| **Wattage** | **approx. 1000 W** |
| **Capacity** | for 10 cups |
| **Features** | · **high grade housing with stainless steel elements**<br>· removable swivel filter 1 x 4 with non-drip valve<br>· **automatic switch-off**<br>· **aroma function – for an even more intense coffee flavour**<br>· **digital clock with timer function to activate the brewing process**<br>· **LCD Display**<br>· **illuminated buttons**<br>· **detachable water tank with water level indicator**<br>· hotplate<br>· water level marks on glass jug |
| | **glas jug with lid**<br>approx. 1.4 l<br>Art. No. GK 5496 |
| | AROMA FUNCTION · AUTO OFF · TIMER |
| | CE |
| **EAN** | 4008146017841 |
| **Other colours/ EAN** | |

NEW

## KA 4462

| | |
|---|---|
| | **Coffee Maker »SUPREME«** |
| | **KA 4462** |
| | brushed-stainless-steel-black |
| | display carton, 3 pcs. |
| | **approx. 1000 W** |
| | for 10 cups |
| | · **high grade housing with stainless steel elements**<br>· removable swivel filter 1 x 4 with non-drip valve<br>· **automatic switch-off**<br>· **aroma function – for an even more intense coffee flavour**<br>· **on/off button with pilot light**<br>· **detachable water tank with water level indicator**<br>· hotplate<br>· water level marks on glass jug |
| | **glas jug with lid**<br>approx. 1.4 l<br>Art. No. GK 5496 |
| | AROMA FUNCTION · AUTO OFF |
| | CE |
| | 4008146017865 |
| | |



NEW

## KA 4190

KA 4191

| | |
|---|---|
| | **Coffee Maker with Timer »SELECT«** |
| | **KA 4190** |
| | black-titanium-metallic |
| | display carton, 3 pcs. |
| | **approx. 1000 W** |
| | for 10 cups |
| | · **removable swivel filter 1 x 4 with non-drip valve**<br>· water level indicator<br>· **automatic switch-off**<br>· **aroma function – for an even more intense coffee flavour**<br>· **digital clock with timer function to activate the brewing process**<br>· hotplate<br>· on/off-button with pilot light<br>· water level marks on glass jug |
| | **glas jug with lid**<br>approx. 1.4 l<br>Art. No. GK 5495 |
| | AROMA FUNCTION · AUTO OFF · TIMER |
| | CE |
| | 4008146014925 |
| | **KA 4191** black / 4008146015991 |

## KA 4490

KA 4491 · KA 4492

| | |
|---|---|
| | **Coffee Maker »SELECT«** |
| | **KA 4490** |
| | black-titanium-metallic |
| | display carton, 3 pcs. |
| | **approx. 1000 W** |
| | for 10 cups |
| | · **removable swivel filter 1 x 4 with non-drip valve**<br>· water level indicator<br>· **automatic switch-off**<br>· **aroma function - for an even more intense coffee flavour**<br>· hotplate<br>· on/off-button with pilot light<br>· water level marks on glass jug |
| | **glass jug with lid**<br>approx. 1.4 l<br>Art. No. GK 5495 |
| | AROMA FUNCTION · AUTO OFF |
| | CE |
| | 4008146011900 |
| | **KA 4491** black / 4008146012785<br>**KA 4492** black-red-metallic / 4008146012990 |

NEW

## KA 4177

KA 4178

NEW

## KA 4312

## KA 4481

KA 4489 · KA 4484

NEW

## KA 4479

KA 4478

NEW

## KA 4805

| | | | | |
|---|---|---|---|---|
| **Description** | **Coffee Maker »SELECT«** | **Coffee Maker** | **Coffee Maker »START«** | **Coffee Maker** | **Coffee Maker** |
| **Art. No.** | **KA 4177** | **KA 4312** | **KA 4481** | **KA 4479** | **KA 4805** |
| **Colour/Material** | black-red-metallic | stainless steel-black | black | black | black-brushed-stainless-steel |
| **PU** | display carton, 3 pcs. | display carton, 3 pcs. | display carton, 3 pcs. | display carton, 4 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 1000 W** | **approx. 1000 W** | **approx. 1000 W** | **approx. 800 W** | **approx. 650 W** |
| **Capacity** | for 10 cups | for 10 cups | for 10 cups | for 10 cups | for 4 cups |
| **Features** | · **swing-out filter with detachable filter insert 1 x 4 with non-drip valve**<br>· water level indicator<br>· **automatic switch-off**<br>· **aroma function - for a an even more intense coffee flavour**<br>· hotplate<br>· on/off switch with pilot light<br>· water level marks on glass jug<br>· cable storage | · **pivoted filter holder 1 x 4 with non-drip valve**<br>· water level indicator<br>· **automatic switch-off**<br>· hotplate<br>· on/off switch with indicator light<br>· water level marks on glass jug<br>· cable storage | · **swing-out filter with detachable filter insert 1 x 4 with non-drip valve**<br>· water level indicator<br>· **automatic switch-off**<br>· hotplate<br>· on/off-button with pilot light<br>· water level marks on glass jug<br>· cable storage | · **pivoted filter with detachable filter holder 1 x 4 and non-drip valve**<br>· transparent water tank with water level marks<br>· hotplate<br>· **automatic switch-off**<br>· on/off switch with pilot light<br>· water level marks on glass jug | · **housing with stainless steel element**<br>· swivel filter 1 x 2 with non-drip valve<br>· **automatic switch-off**<br>· on/off-switch with pilot light<br>· hotplate<br>· water level marks on glass jug |
| | **glass jug with lid**<br>approx. 1.4 l<br>Art. No. GK 5498 | **glass jug with lid**<br>approx. 1.4 l<br>Art. No. GK 5384 | **glass jug with lid**<br>approx. 1.4 l<br>Art. No. GK 5384 for KA 4481<br>Art. No. GK 5386 for KA 4484, 4489 | **glass jug with lid**<br>approx. 1.4 l<br>Art. No. GK 5492 for KA 4479<br>Art. No. GK 5493 for KA 4478 | **glass jug with lid**<br>approx. 0.46 l<br>Art. No. GK 5464 |
| | AROMA FUNCTION · AUTO OFF | AUTO OFF | AUTO OFF | AUTO OFF | AUTO OFF |
| | CE | CE | CE | CE | CE |
| **EAN** | 4008146018992 | 4008146017636 | 4008146013430 | 4008146017674 | 4008146018893 |
| **Other colours / EAN** | **KA 4178** black-titanium-metallic / 4008146019012 | | **KA 4489** white-grey / 4008146011399<br>**KA 4484** red-grey / 4008146014567 | **KA 4478** white / 4008146017698 | |



NEW

## KA 4141

| | |
|---|---|
| **Description** | **Coffee Maker with Timer »SELECT«** |
| **Art. No.** | **KA 4141** |
| **Colour/Material** | black-brushed stainless steel |
| **PU** | display carton, 3 pcs. |
| **Wattage** | **approx. 1000 W** |
| **Capacity** | for 8 cups |
| **Features** | · **removable swivel filter 1 x 4 with non-drip valve**<br>· water level indicator<br>· **stainless steel thermo jug with drip-through lid**<br>· **automatic switch-off**<br>· **aroma function - for a an even more intense coffee flavor**<br>· **digital clock with timer function to activate the brewing process**<br>· on/off-button with pilot light |

**stainless steel thermo jug with drip-through lid**
approx. 1.0 l
Art. No. GK 9568

AROMA FUNCTION · THERMO · AUTO OFF · TIMER

CE

| | |
|---|---|
| **EAN** | 4008146016059 |
| **Other colours / EAN** | |

NEW

## KA 4131

| | |
|---|---|
| **Coffee Maker »SELECT«** | |
| **KA 4131** | |
| black-brushed stainless steel | |
| display carton, 3 pcs. | |
| **approx. 1000 W** | |
| for 8 cups | |
| · **removable swivel filter 1 x 4 with non-drip valve**<br>· water level indicator<br>· **stainless steel thermo jug with drip-through lid**<br>· **automatic switch-off**<br>· **aroma function - for a an even more intense coffee flavour**<br>· on/off-button with pilot light | |

**stainless steel thermo jug with drip-through lid**
approx. 1.0 l
Art. No. GK 9568

AROMA FUNCTION · THERMO · AUTO OFF

CE

| | |
|---|---|
| **EAN** | 4008146015977 |

NEW

## KA 9481

| | |
|---|---|
| **Coffee Maker with vacuum jug** | |
| **KA 9481** | |
| black-silver | |
| display carton, 3 pcs. | |
| **approx. 800 W** | |
| for 8 cups | |
| · **vacuum jug with brew through lid**<br>· **pivoted filter holder 1 x 4 with non-drip valve**<br>· **automatic switch-off**<br>· on/off switch with pilot light<br>· water level indicator<br>· cable storage | |

**vacuum jug with brew through lid**
approx. 1.0 l
Art. No. TK 9580

THERMO · AUTO OFF

CE

| | |
|---|---|
| **EAN** | 4008146018923 |

NEW

## KA 4115

KA 4114

| | |
|---|---|
| **Coffee Maker with vacuum jug** | |
| **KA 4115** | |
| black | |
| display carton, 3 pcs. | |
| **approx. 800 W** | |
| for 8 cups | |
| · **vacuum jug with aroma protection lid and screw cap**<br>· **pivoted filter holder 1 x 4 with non-drip valve**<br>· **automatic switch-off**<br>· on/off switch with pilot light<br>· water level indicator<br>· cable storage | |

**vacuum jug with screw cap**
approx 1.0 l
Art. No. TK 5533 for KA 4114
Art. No. TK 5536 for KA 4115

THERMO · AUTO OFF

CE

| | |
|---|---|
| **EAN** | 4008146017438 |
| **Other colours / EAN** | **KA 4114** white-grey / 4008146017414 |

NEW

## KA 9482

NEW

## KA 9234

KA 9233

NEW

## KA 5827

KA 5828

NEW

## KA 5802

| | | | | |
|---|---|---|---|---|
| **Description** | **Coffee Maker with 2 vacuum jugs** | **Coffee Maker with 2 vacuum jugs** | **Duo Coffee Maker with vacuum jugs** | **Duo Coffee Maker** |
| **Art. No.** | **KA 9482** | **KA 9234** | **KA 5827** | **KA 5802** |
| **Colour/Material** | black-silver | black | white | black |
| **PU** | display carton, 3 pcs. | display carton, 3 pcs. | display carton, 2 pcs. | display carton, 3 pcs. |
| **Wattage** | **approx. 800 W** | **approx. 800 W** | **2 x approx. 800 W** | **2 x approx. 750 W** |
| **Capacity** | for 8 cups | for 8 cups | 2 x for 8 cups | 2 x for 8 cups |
| **Features** | · **2 vacuum jugs with brew through lid**<br>· **pivoted filter holder 1 x 4 with non-drip valve**<br>· **automatic switch-off**<br>· on/off switch with pilot light<br>· water level indicator<br>· cable storage | · **2 vacuum jugs with aroma protection lid and screw cap**<br>· **pivoted filter holder 1 x 4 with non-drip valve**<br>· **automatic switch-off**<br>· on/off switch with pilot light<br>· water level indicator<br>· cable storage | · **2 vacuum jugs with aroma protection lid and screw cap**<br>· water level marks inside water tanks<br>· **automatic switch-off**<br>· **2 separate heating systems**<br>· 2 on/off switches with indicator light<br>· **2 swing-out filters 1 x 4 with drip-stop valve**<br>· **1 tea box**<br>· cable storage | · fresh-water scales in water containers and glass jugs<br>· **2 separate heating systems**<br>· **automatic switch-off**<br>· 2 hotplates<br>· 2 on/off switches with indicator light<br>· **2 swing-out filters 1 x 4 with drip-stop valve**<br>· **1 tea box**<br>· cable storage |
| | **vacuum jug with brew through lid**<br>approx 1.0 l<br>Art. No. TK 9580 | **vacuum jug with screw cap**<br>approx 1.0 l<br>Art. No. TK 5533 for KA 9233<br>Art. No. TK 5536 for KA 9234 | **vacuum jug with screw cap**<br>approx. 1.0 l<br>Art.-No. TK 9546 for KA 5827<br>Art.-No. TK 5437 for KA 5828 | **2 glass jugs with lid**<br>approx. 1.1 l<br>Art.-No. GK 5401 |
| | THERMO AUTO OFF | THERMO AUTO OFF | THERMO AUTO OFF | AUTO OFF |
| | CE | CE | CE | CE |
| **EAN** | 4008146017452 | 4008146017513 | 4008146017377 | 4008146017599 |
| **Other colours / EAN** | | **KA 9233** white-grey / 4008146017551 | **KA 5828** black / 4008146017537 | |

★ ★ ★ MADE IN GERMANY since 1892

★ ★ ★ MADE IN GERMANY since 1892



## SM 9688

## SM 9685

## SM 9684

## SM 9495

## SM 9494

| | SM 9688 | SM 9685 | SM 9684 | SM 9495 | SM 9494 |
|---|---|---|---|---|---|
| **Description** | **Induction Milk Frother** | **Induction Milk Frother** | **Induction Milk Frother** | **Induction Milk Frother** | **Milk Frother** |
| **Art. No.** | **SM 9688** | **SM 9685** | **SM 9684** | **SM 9495** | **SM 9494** |
| **Colour/Material** | stainless steel-black | silver-white | silver-white | stainless steel-black | white-grey |
| **PU** | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 500 W** | **approx. 500 W** | **approx. 500 W** | **approx. 500 W** | **approx. 450 W** |
| **Capacity** | approx. 700 ml | approx. 700 ml | approx. 500 ml | approx. 180 ml | approx. 200 ml |
| **Features** | · for delicious milk froth and hot chocolate<br>· **detachable, dishwasher safe stainless steel container**<br>· 360° connector for easy use<br>· suitable for frothing approx. 120 to 350 ml or heating up approx. 120 to 700 ml of milk<br>· cold or hot frothing<br>· **heat setting up to 65 °C**<br>· interchangeable attachments for heating up and frothing, magnetic storage<br>· **induction heating - no scorching**<br>· thermal safety cut-out<br>· on/off switch with LED pilot light<br>· **automatic switch-off** | · for delicious milk froth and hot chocolate<br>· **detachable, dishwasher safe stainless steel container**<br>· 360° connector for easy use<br>· suitable for frothing approx. 120 to 350 ml or heating up approx. 120 to 700 ml of milk<br>· cold or hot frothing<br>· **4 different heat settings: 45 °C – 55 °C – 60 °C – 65 °C**<br>· LED indicators to show temperature setting<br>· interchangeable attachments for heating up and frothing, magnetic storage<br>· lid opening to add ingredients such as cacoa or syrup during use<br>· **induction heating - no scorching**<br>· thermal safety cut-out<br>· **automatic switch-off** | · for delicious milk froth and hot chocolate<br>· **detachable, dishwasher safe stainless steel container**<br>· 360° connector for easy use<br>· suitable for frothing approx. 120 to 260 ml or heating up approx. 120 to 500 ml of milk<br>· cold or hot frothing<br>· interchangeable attachments for heating up and frothing, magnetic storage<br>· **induction heating - no scorching**<br>· thermal safety cut-out<br>· illuminated on/off switch<br>· **automatic switch-off** | · for delicious milk froth and hot chocolate<br>· **detachable, dishwasher safe**<br>· **stainless steel container**<br>· 360° connector for easy use<br>· suitable for frothing approx. 60 to 120 ml or heating up approx. 60 to 180 ml of milk<br>· **heat setting up to 65 °C**<br>· interchangeable attachments for heating up and frothing, integrated storage space in the lid<br>· **induction heating - no scorching**<br>· thermal safety cut-out<br>· on/off switch<br>· **automatic switch-off** | · for delicious milk froth and hot chocolate<br>· **detachable milk frother**<br>· plastic housing<br>· **non-stick coated milk container, easy to clean**<br>· 360° connector for easy use<br>· suitable for frothing approx. 100 ml or heating up approx. 200 ml of milk<br>· cold or hot frothing<br>· interchangeable attachments for heating up and frothing<br>· thermal safety cut-out<br>· illuminated on/off switch<br>· transparent lid<br>· **automatic switch-off** |
| | CE | CE | CE | CE | CE |
| **EAN** | 4008146003394 | 4008146968501 | 4008146968402 | 4008146009259 | 4008146009273 |

## SM 3590

SM 3591 · SM 3592 · SM 3593 · SM 3594

| | |
|---|---|
| **Description** | **Milk Frother** |
| **Art. No.** | **SM 3590** |
| **Colour/Material** | black |
| **PU** | display carton, 12 pcs. |
| **Wattage** | |
| **Capacity** | |
| **Features** | · battery driven (Mignon cells AA)<br>· **max. speed of approx. 11,500 r.p.m.**<br>· **frothes milk within seconds**<br>· soft-touch surface<br>· ergonomic design<br>· pulse switch for easy handling<br>· stainless steel whisk<br>· easy cleaning<br>· 2 batteries included (à 1.5 V) |
| | CE |
| **EAN** | 4008146003783 |
| **Other colours / EAN** | **SM 3591** red / 4008146003806<br>**SM 3592** green / 4008146003820<br>**SM 3593** purple / 4008146003844<br>**SM 3594** yellow / 4008146003868 |

## DISPLAY

**DF 9597**

**Sales counter display**
4008146004582
sales unit 1 pc.

- total content 16 pcs.
- 4 pcs. each of: SM 3591, red / SM 3592, green / SM 3593, purple / SM 3594, yellow

## KM 3873

| | |
|---|---|
| **Coffee Grinder** | |
| **KM 3873** | |
| white-silver | |
| display carton, 4 pcs. | |
| **approx. 150 W** | |
| up to 150 g | |
| · **adjustable grinding level**<br>· **for filter coffee or espresso powder**<br>· number of cups set by electronic timer<br>· start button<br>· **stainless-steel conical grinding mechanism for maximum aroma preservation**<br>· detachable collection container for up to 100 g ground coffee<br>· container for approx. 150 g coffee beans<br>· non-skid rubber feet | |
| CE | |
| 4008146387302 | |

## KM 3874

| | |
|---|---|
| **Coffee Grinder** | |
| **KM 3874** | |
| black-silver | |
| display carton, 4 pcs. | |
| **approx. 100 W** | |
| up to 150 g | |
| · **adjustable grinding level**<br>· for filter coffee<br>· selector for number of cups<br>· start button<br>· **stainless steel disk grinder**<br>· detachable collection container for up to 100 g ground coffee<br>· container for approx. 150 g coffee beans<br>· cleaning brush included<br>· non-skid rubber feet | |
| CE | |
| 4008146387401 | |

## KM 3868

| | |
|---|---|
| **Coffee Mill** | |
| **KM 3868** | |
| white-grey | |
| display carton, 6 pcs. | |
| **approx. 140 W** | |
| approx. 40 g | |
| · **stainless steel blade**<br>· safety switch for one-hand-operation<br>· transparent lid<br>· cable storage | |
| CE | |
| 4008146008917 | |

GERMAN
QUALITY
since 1892

SEVERIN

# Breakfast

It's never too early for something that tastes nice. That's why – with their superb designs – our toasters, egg boilers and kettles now make breakfast that little bit more special. The same goes for products from our breakfast series which are the perfect visual compliment to each other. The different features provide something for all needs, and exactly the right thing to suit any budget. Make every morning a good morning.

NEW

**Coffee Maker »SUPREME«**
**KA 4460**

NEW

**Jug Kettle »SUPREME«**
**WK 3460**

NEW

**Automatic Long Slot Toaster »SUPREME«**
**AT 2260**

PLUS X AWARD®
2014 achieved for:
High Quality
Design
Ease of Use

# OUR SERIES HIGHLIGHTS SUPREME & SELECT.

These are appliances that are a firm part of any kitchen. Coffee machines, toasters and kettles are used every day and they're always close at hand. That's why many households prefer a coordinated look when it comes to these kitchen helpers. Our breakfast series meet this wish and brings these three classic breakfast appliances with all their useful functions and attractive design to your table in a choice of three colours.

## **SUPREME** brushed-stainless-steel-black

**The series includes:**

KA 4460, KA 4462, WK 3460, WK 3461, AT 2260

## **SELECT** black-titanium-metallic

**The series includes:**

KA 4178, KA 4190, KA 4490, WK 3390, AT 2290

## **SELECT** black

**The series includes:**

KA 4191, KA 4491, KA 4141, KA 4131, WK 3391, AT 2291

## **SELECT** black-red-metallic

**The series includes:**

KA 4177, KA 4492, WK 3392, AT 2292,

NEW

## WK 3460

NEW

## WK 3461

NEW

## WK 3471

NEW

## WK 3470

| | WK 3460 | WK 3461 | WK 3471 | WK 3470 |
|---|---|---|---|---|
| **Description** | **Jug Kettle »SUPREME«** | **Jug Kettle »SUPREME«** | **Tea and Water Kettle** | **Glass Water Kettle** |
| **Art. No.** | **WK 3460** | **WK 3461** | **WK 3471** | **WK 3470** |
| **Colour/Material** | brushed-stainless-steel-black | brushed-stainless-steel-black | glass-brushed stainless-steel | glass-brushed stainless-steel |
| **PU** | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 2 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 2200 W** | **approx. 2200 W** | **approx. 3000 W** | **approx. 2200 W** |
| **Capacity** | approx. 1.5 l | approx. 1.5 l | approx. 1.5 l (water) / approx. 1.2 l (tea) | approx. 1.5 l |
| **Features** | · **high grade stainless-steel housing**<br>· powerful, detachable jug kettle<br>· both-sided water level indicator<br>· **cordless on power base unit**<br>· **360° central cordless system, accessible from any angle**<br>· integral steam cut-off<br>· **high-grade base with operating buttons**<br>· **3 different temperature settings: 75 °C - 85 °C - 100 °C**<br>· **keep-warm function**<br>· thermal safety cut-out<br>· hinged lid with lock<br>· concealed heating element<br>· pouring spout<br>· heat insulated plastic handle<br>· non skid rubber feet<br>· cable storage | · **high grade stainless-steel housing**<br>· powerful, detachable jug kettle<br>· both-sided water level indicator<br>· **cordless on power base unit**<br>· **360° central cordless system, accessible from any angle**<br>· **integral steam cut-off**<br>· thermal safety cut-out<br>· hinged lid with lock<br>· concealed heating element<br>· pouring spout<br>· heat insulated plastic handle<br>· non skid rubber feet<br>· cable storage | · **high-efficiency tea and water kettle, with separate base**<br>· **high grade stainless steel/glass housing**<br>· concealed heating element<br>· cordless on power base unit<br>· **360° central cordless system, accessible from any angle**<br>· thermal safety cut-out<br>· integral steam cut-off<br>· **detachable lid with tea filter**<br>· **additional lid for use when kettle is full up**<br>· **high-grade base with touch operation**<br>· **4 different temperature settings: 70 °C - 80 °C - 90 °C - 100 °C**<br>· **keep-hot function**<br>· pouring spout<br>· non skid rubber feet<br>· cable storage | · **high-efficiency water kettle**<br>· **high grade stainless steel/glass housing**<br>· concealed heating element<br>· cordless on power base unit<br>· **360° central cordless system, accessible from any angle**<br>· thermal safety cut-out<br>· integral steam cut-off<br>· pouring spout<br>· non skid rubber feet<br>· cable storage |
| | CE | CE | CE | CE |
| **EAN** | 4008146017902 | 4008146017926 | 4008146015458 | 4008146015434 |

## WK 3342

## WK 3349

## WK 3348

## WK 3333

| | | | | |
|---|---|---|---|---|
| **Description** | **Electronic Jug Kettle** | **Jug Kettle** | **Jug Kettle** | **Jug Kettle** |
| **Art. No.** | **WK 3342** | **WK 3349** | **WK 3348** | **WK 3333** |
| **Colour/Material** | brushed stainless steel-black | stainless steel-black | brushed stainless steel-black | brushed stainless steel-black |
| **PU** | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 2200 W** | **approx. 2000 W** | **approx. 1350 W** | **approx. 1800 W** |
| **Capacity** | approx. 1.5 l | approx. 1.7 l | approx. 1.0 l | approx. 1.0 l |
| **Features** | · powerful, detachable electric kettle<br>· **double-walled**<br>· **stainless-steel housing**<br>· water level indicators on both sides, transparent<br>· concealed heating element protected by stainless-steel cover<br>· cordless system with stand-alone base<br>· thermal safety cut-out<br>· auto switch-off<br>· **4 on/off buttons with indicator lights and acoustic signal – temperature settings 80°, 85°, 90°, 100 °C**<br>· **temperature sensor**<br>· pouring spout with sieve<br>· hinged lid with safety lock<br>· 360° central cordless system, accessible from any angle<br>· cool-touch plastic handle<br>· non-skid rubber feet<br>· wind-up cable storage | · powerful, detachable electric kettle<br>· **stainless-steel housing**<br>· concealed heating element<br>· cordless system with stand-alone base<br>· thermal safety cut-out<br>· **auto switch-off**<br>· on/off switch with indicator light<br>· pouring spout with sieve<br>· detachable lid<br>· 360° central cordless system, accessible from any angle<br>· cool-touch plastic handle<br>· water level indicator<br>· wind-up cable storage | · powerful, detachable electric kettle<br>· **double-walled**<br>· **stainless-steel housing**<br>· concealed heating element protected by stainless-steel cover<br>· cordless system with stand-alone base<br>· thermal safety cut-out<br>· **auto switch-off**<br>· on/off switch with indicator light<br>· 360° central cordless system, accessible from any angle<br>· cool-touch plastic handle<br>· hinged lid with safety lock<br>· non-skid rubber feet<br>· water level indicator<br>· wind-up cable storage<br>· pouring spout | · powerful, detachable jug kettle<br>· **stainless steel housing**<br>· cordless on power base unit<br>· **360° connector for easy use**<br>· concealed heating element<br>· **thermal safety cut-out**<br>· integral steam cut-off<br>· on-off switch<br>· pilot light<br>· pouring spout<br>· non-slip feet<br>· cable storage |
| | CE | CE | CE | CE |
| **EAN** | 4008146334207 | 4008146334900 | 4008146334801 | 4008146011542 |

SEVERIN

## WK 3369

## WK 3364

## WK 3362

## WK 3390

WK 3391 · WK 3392

| | | | | |
|---|---|---|---|---|
| **Description** | Jug Kettle | Jug Kettle | Jug Kettle | Jug Kettle »SELECT« |
| **Art. No.** | WK 3369 | WK 3364 | WK 3362 | WK 3390 |
| **Colour/Material** | brushed stainless steel-black | brushed stainless steel-black | brushed stainless steel-black | black-titanium-metallic |
| **PU** | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 6 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 1800 W** | **approx. 1800 W** | **approx. 1500 W** | **approx. 2200 W** |
| **Capacity** | approx. 1.5 l | approx. 1.5 l | approx. 1 l | approx. 1.5 l |
| **Features** | · powerful detachable jug kettle<br>· **stainless steel housing**<br>· concealed heating element<br>· cordless on power base unit<br>· thermal safety cut-out<br>· **auto switch-off**<br>· **variable thermostat**<br>· on/off switch<br>· pilot light<br>· easy-pour spout<br>· hinged lid<br>· 360° connector for easy use<br>· heat insulated plastic handle<br>· non-skid rubber feet<br>· cable storage | · powerful detachable jug kettle<br>· **stainless steel housing**<br>· concealed heating element<br>· cordless on power base unit<br>· thermal safety cut-out<br>· **auto switch-off**<br>· on/off switch<br>· pilot light<br>· easy-pour spout<br>· hinged lid<br>· 360° connector for easy use<br>· heat insulated plastic handle<br>· non-skid rubber feet<br>· cable storage | · powerful, detachable jug kettle<br>· **stainless steel housing**<br>· concealed heating element<br>· cordless on power base unit<br>· thermal safety cut-out<br>· **integral steam cut-off**<br>· on/off switch<br>· pilot light<br>· pouring spout<br>· hinged lid<br>· 360° connector for easy use<br>· heat insulated plastic handle<br>· non skid rubber feet<br>· cable storage | · powerful, detachable jug kettle<br>· **both-sided water level indicator**<br>· cordless on power base unit<br>· **integral steam cut-off**<br>· thermal safety cut-out<br>· hinged lid with lock<br>· concealed heating element<br>· on/off switch with pilot light<br>· pouring spout<br>· 360° central cordless system, accessible from any angle<br>· heat insulated plastic handle<br>· cable storage<br>· non skid rubber feet |
| | CE | CE | CE | CE |
| **EAN** | 4008146336904 | 4008146336409 | 4008146010613 | 4008146011344 |
| **Other colours / EAN** | | | | **WK 3391** black / 4008146012761<br>**WK 3392** black-red-metallic / 4008146012976 |

NEW

## WK 3381

WK 3389 · WK 3384

## WK 3495

## WK 3485

WK 3482

## WK 3387

WK 3388

| | | |
|---|---|---|
| **Description** | **Jug Kettle »START«** | **Jug Kettle** |
| **Art. No.** | **WK 3381** | **WK 3495** |
| **Colour/Material** | black | white |
| **PU** | display carton, 6 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 1500 W** | **approx. 2200 W** |
| **Capacity** | approx. 1.2 l | approx. 1.5 l |
| **Features** | · powerful, detachable jug kettle<br>· water level indicator<br>· cordless on power base unit<br>· **integral steam cut-off**<br>· thermal safety cut-out<br>· hinged lid with lock<br>· concealed heating element<br>· on/off switch with pilot light<br>· pouring spout<br>· 360° central cordless system, accessible from any angle<br>· heat insulated plastic handle<br>· non skid rubber feet<br>· cable storage | · powerful, detachable jug kettle<br>· both-sided water level indicator<br>· **cordless on power base unit**<br>· **integral steam cut-off**<br>· **thermal safety cut-out**<br>· hinged lid with lock<br>· concealed heating element<br>· on/off switch with pilot light<br>· pouring spout with sieve<br>· **360° central cordless system, accessible from any angle**<br>· heat insulated plastic handle<br>· **non skid rubber feet**<br>· cable storage |
| | CE | CE |
| **EAN** | 4008146013416 | 4008146016547 |
| **Other colours / EAN** | **WK 3389** white-grey / 4008146011375<br>**WK 3384** red-grey / 4008146014611 | |

| | | |
|---|---|---|
| | **Jug Kettle** | **Jug Kettle** |
| | **WK 3485** | **WK 3387** |
| | black | black |
| | display carton, 6 pcs. | display carton, 4 pcs. |
| | **approx. 2200 W** | **approx. 2200 W** |
| | approx. 1.7 l | approx. 1.5 l |
| | · powerful detachable jug kettle<br>· **transparent water level indicator on both sides**<br>· cordless on power base unit<br>· thermal safety cut-out<br>· **auto switch-off**<br>· on/off switch with pilot light<br>· easy-pour spout with sieve<br>· hinged lid with safety lock<br>· non-skid rubber feet<br>· cable storage | · detachable jug kettle<br>· water level indicator<br>· cordless on power base unit<br>· thermal safety cut-out<br>· **integral steam cut-off**<br>· on/off switch with pilot light<br>· easy-pour spout<br>· hinged lid |
| | CE | CE |
| | 4008146348501 | 4008146009587 |
| | **WK 3482** white / 4008146348204 | **WK 3388** white / 4008146010507 |

## WK 3363

WK 3360 · WK 3361

## WK 3644

## AT 2516

## AT 2514

| | WK 3363 | WK 3644 | AT 2516 | AT 2514 |
|---|---|---|---|---|
| **Description** | **Jug Kettle** | **Travel Kettle** | **Automatic Toaster with sandwich tongs** | **Automatic Toaster** |
| **Art. No.** | **WK 3363** | **WK 3644** | **AT 2516** | **AT 2514** |
| **Colour/Material** | black | white | brushed stainless steel-black | brushed stainless steel-black |
| **PU** | display carton, 6 pcs. | display carton, 12 pcs. | display carton, 4 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 1000 W** | **approx. 650 W** | **approx. 540 W** | **approx. 850 W** |
| **Capacity** | approx. 1.0 l | approx. 0.5 l | 2 slices | 2 slices |
| **Features** | · detachable jug kettle<br>· **transparent water level indicator on both sides**<br>· cordless on power base unit<br>· thermal safety cut-out<br>· **auto switch-off**<br>· on/off switch<br>· pilot light<br>· easy-pour spout<br>· hinged lid with safety lock | · heating element covered by aluminium body<br>· thermal safety cut-out<br>· **auto switch-off**<br>· **dual voltage: 115/230 V**<br>· on/off switch<br>· pilot light<br>· easy-pour spout with sieve<br>· hinged lid<br>· 2 plastic cups with spoons included<br>· water level indicator | · double-walled<br>· heat insulated stainless steel housing<br>· **two sandwich tongs included**<br>· variable browning setting<br>· stop-button with pilot light<br>· crumb tray<br>· cable storage | · double-walled<br>· heat insulated stainless steel housing<br>· **integrated bun warmer**<br>· electronic browning control with temperature sensor<br>· variable browning setting<br>· **frozen bread button with pilot light**<br>· **reheat function with pilot light for rewarming without additional browning**<br>· mid-cycle cancel button with pilot light<br>· **variable width bread slot**<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage |
| | CE | CE | CE | CE |
| **EAN** | 4008146336300 | 4008146364402 | 4008146251603 | 4008146251405 |
| **Other colours / EAN** | **WK 3360** white / 4008146336003<br>**WK 3361** blue / 4008146336102 | | | |



NEW

## AT 2290

AT 2291 · AT 2292

## AT 2281

AT 2289 · AT 2284

## AT 2287

AT 2288

## AT 2260

| | AT 2290 | AT 2281 | AT 2287 | AT 2260 |
|---|---|---|---|---|
| **Description** | **Automatic Toaster »SELECT«** | **Automatic Toaster »START«** | **Automatic Toaster** | **Automatic Long Slot Toaster »SUPREME«** |
| **Art. No.** | **AT 2290** | **AT 2281** | **AT 2287** | **AT 2260** |
| **Colour/Material** | black-titanium-metallic | black | black | brushed-stainless-steel-black |
| **PU** | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 800 W** | **approx. 800 W** | **approx. 700 W** | **approx. 950 W** |
| **Capacity** | 2 slices | 2 slices | 2 slices | 2 slices |
| **Features** | · cool touch housing<br>· integrated bun warmer<br>· variable browning control<br>· electronic browning control with temperature sensor<br>· defrost-button with pilot light<br>· reheat button (no additional browning) with pilot light<br>· mid-cycle cancel button with pilot light<br>· **variable-width bread slots for even browning**<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage | · cool touch housing<br>· integrated bun warmer<br>· electronic browning sensor<br>· **variable browning control**<br>· mid-cycle cancel button<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage | · cool touch housing<br>· integrated bun warmer<br>· electronic browning sensor<br>· **variable browning control**<br>· mid-cycle cancel button<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage | · **high grade heat insulated stainless steel housing**<br>· **integrated bun warmer**<br>· electronic browning control with temperature sensor<br>· variable browning setting<br>· **defrost-button with pilot light**<br>· **reheat button (no additional browning) with pilot light**<br>· mid-cycle cancel button with pilot light<br>· **variable-width bread slots for even browning**<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage |
| | CE | CE | CE | CE |
| **EAN** | 4008146011924 | 4008146013386 | 4008146009600 | 4008146017889 |
| **Other colours / EAN** | **AT 2291** black / 4008146012747<br>**AT 2292** black-red-metallic / 4008146012952 | **AT 2289** white-grey / 4008146011887<br>**AT 2284** red-grey / 4008146014581 | **AT 2288** white / 4008146010521 | |



NEW

NEW

## AT 2509

## AT 2515

## AT 2234

## AT 2232

| | | | | |
|---|---|---|---|---|
| **Description** | **Automatic Long Slot Toaster** | **Automatic Long Slot Toaster** | **Automatic Long Slot Toaster »START«** | **Automatic Long Slot Toaster »START«** |
| **Art. No.** | **AT 2509** | **AT 2515** | **AT 2234** | **AT 2232** |
| **Colour/Material** | brushed stainless steel-black | brushed stainless steel-black | white-grey | white-grey |
| **PU** | display carton, 4 pcs. | display carton, 6 pcs. | display carton, 3 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 1400 W** | **approx. 1000 W** | **approx. 1400 W** | **approx. 800 W** |
| **Capacity** | 4 slices | 2 slices | 4 slices | 2 slices |
| **Features** | · double-walled<br>· heat insulated stainless steel housing<br>· **integrated bun warmer**<br>· **2 long slots for up to 4 slices of toast**<br>· electronic browning control with temperature sensor<br>· variable browning setting<br>· **frozen bread button with pilot light**<br>· **reheat function with pilot light for rewarming without additional browning**<br>· mid-cycle cancel button with pilot light<br>· **variable width bread slot**<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage | · double-walled<br>· heat insulated stainless steel housing<br>· **integrated bun warmer**<br>· electronic browning control with temperature sensor<br>· variable browning setting<br>· **frozen bread button with pilot light**<br>· **reheat function with pilot light for rewarming without additional browning**<br>· mid-cycle cancel button with pilot light<br>· **variable width bread slot**<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage | · heat insulated housing<br>· **integrated bun warmer**<br>· **2 long slots for up to 4 slices of toast**<br>· electronic browning control<br>· variable browning control<br>· **defrost-button with pilot light**<br>· **reheat button (no additional browning) with pilot light**<br>· mid-cycle cancel button with pilot light<br>· **variable-width bread slots for even browning**<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage | · heat insulated housing<br>· **integrated bun warmer**<br>· electronic browning control<br>· variable browning control<br>· **defrost-button with pilot light**<br>· **reheat button (no additional browning) with pilot light**<br>· mid-cycle cancel button with pilot light<br>· **variable-width bread slots for even browning**<br>· automatic switch-off in case of bread jam<br>· crumb tray<br>· cable storage |
| | CE | CE | CE | CE |
| **EAN** | 4008146250903 | 4008146251504 | 4008146019531 | 4008146017179 |

| | EK 3127 | EK 3134 | EK 3157 | EK 3156 |
|---|---|---|---|---|
| **Description** | **Design Egg Boiler** | **Egg Boiler** | **Egg Boiler** | |
| **Art. No.** | **EK 3127** | **EK 3134** | **EK 3157** | |
| **Colour/Material** | brushed stainless-steel, black | brushed stainless-steel, black | black-titanium | |
| **PU** | display carton, 6 pcs. | display carton, 6 pcs. | display carton, 6 pcs. | |
| **Wattage** | **approx. 400 W** | **approx. 400 W** | **approx. 400 W** | |
| **Capacity** | 1 - 7 eggs | 1 - 6 eggs | 1 - 6 eggs | |
| **Features** | · **high-quality stainless steel housing**<br>· concealed heating element<br>· transparent lid<br>· **cool touch handle**<br>· **2 inserts for poached eggs**<br>· can also be used for steaming vegetables<br>· **adjustable degree of hardness with electronic cooking control**<br>· with buzzer<br>· **on/off switch with LED pilot light**<br>· measuring cup with egg piercer<br>· non-skid rubber feet<br>· wind-up cable storage<br>· thermal safety cut-out | · **stainless steel housing**<br>· non-stick coated hotplate<br>· measuring cup with egg piercer<br>· hinged transparent lid, removable for easier cleaning<br>· **adjustable degree of hardness with electronic cooking control**<br>· with buzzer<br>· **on/off switch with LED pilot light**<br>· thermal safety cut out | · plastic housing<br>· non-stick coated hotplate<br>· measuring cup with egg piercer<br>· hinged transparent lid<br>· **adjustable degree of hardness with electronic cooking control**<br>· with buzzer<br>· on/off switch with pilot light<br>· thermal safety cut-out | |
| | CE | CE | CE | |
| **EAN** | 4008146003424 | 4008146013454 | 4008146315701 | |
| **Other colours / EAN** | | | **EK 3156** black-red-metallic / 4008146315602 | |



| | EK 3056 | EK 3051 | EK 3050 | EK 3161 |
|---|---|---|---|---|
| **Description** | **Egg Boiler** | | **Egg Boiler** | **Egg Boiler »START«** |
| **Art. No.** | **EK 3056** | | **EK 3050** | **EK 3161** |
| **Colour/Material** | black-grey | | white | white-grey |
| **PU** | display carton, 6 pcs. | | display carton, 6 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 400 W** | | **approx. 400 W** | **approx. 300 W** |
| **Capacity** | 1 - 6 eggs | | 1 - 6 eggs | 1 - 3 eggs |
| **Features** | · plastic housing<br>· non-stick coated hotplate<br>· measuring cup with egg piercer<br>· with buzzer<br>· on/off switch<br>· **LED pilot light**<br>· thermal safety cut-out | | · plastic housing<br>· non-stick coated hotplate<br>· measuring cup with egg piercer<br>· with buzzer<br>· thermal safety cut-out | · plastic housing<br>· stainless steel heating element<br>· with buzzer<br>· measuring cup with egg piercer<br>· transparent lid, detachable for easy cleaning<br>· **adjustable degree of hardness with electronic cooking control**<br>· **on/off switch with LED-light**<br>· thermal safety cut-out |
| | CE | | CE | CE |
| **EAN** | 4008146009099 | | 4008146305009 | 4008146011979 |
| **Other colours / EAN** | **EK 3051** white-grey / 4008146305108 | | | |



SEVERIN

NEW

## CP 3534

## CP 3536

## JG 3523

## JG 3519

## JG 3516

| | | | | | |
|---|---|---|---|---|---|
| **Description** | **Lemon Squeezer** | **Lemon Squeezer** | **Yoghurt Maker with timer** | **Yoghurt Maker** | **Yoghurt Maker** |
| **Art. No.** | **CP 3534** | **CP 3536** | **JG 3523** | **JG 3519** | **JG 3516** |
| **Colour/Material** | brushed stainless-steel, black | white | brushed stainless steel-white | white-red | white-grey |
| **PU** | display carton, 6 pcs. | display carton, 6 pcs. | display carton, 3 pcs. | display carton, 3 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 85 W** | **approx. 25 W** | **approx. 18 W** | **approx. 13 W** | **approx. 13 W** |
| **Capacity** | | approx. 750 ml | with 7 glass jars of approx. 160 ml each | with 14 glass jars of approx. 150 ml each | with 7 glass jars of approx. 150 ml each |
| **Features** | · **stainless steel housing**<br>· **2 squeezing cones for all fruit sizes, detachable for easy cleaning**<br>· switched on by pressing the cone<br>· stainless steel sieve, dishwasher safe<br>· storage compartment for cones<br>· juice pours straight into the glass<br>· lid<br>· stainless steel pouring spout with drip stop | · **2 large domes of different diameters for all fruit sizes, detachable for easy cleaning**<br>· pressure-activated juicer dome<br>· large juice container<br>· reversible rotation for optimised juice extraction<br>· detachable juice collector tray, with handle and lid<br>· cable storage<br>· non-skid rubber feet | · 7 glass jars with lids in different colours<br>· illuminated LCD display<br>· timer function up to 15 hours<br>· transparent main cover with handle | · transparent lid<br>· on/off switch with pilot light<br>· with memory dial | · transparent lid<br>· on/off switch with pilot light<br>· with memory dial |
| | | | **7 replacement jars with lid**<br>Art.-No. EG 3524 | **8 replacement jars with lid**<br>Art. No. EG 3529 | **8 replacement jars with lid**<br>Art. No. EG 3517 |
| | CE | CE | CE | CE | CE |
| **EAN** | 4008146002922 | 4008146000652 | 4008146016073 | 4008146351907 | 4008146351600 |



GERMAN QUALITY
since 1892

SEVERIN

# Kitchen

Unique innovations, award-winning product designs and many more highlights: Once again we won't be sitting on our laurels this year as far as the kitchen is concerned, and will again be surprising the market with real trend-setters that not only make cooking easier but actually re-define it. Such as James, the Wondermachine that does everything almost by itself. Or the sous vide, an excellent vacuum cooker that prepares meals perfectly by preserving their vitamins and flavour – the like of which was previously only available in professional restaurant kitchens. More than a dozen test verdicts in 2014 alone prove that our products are an excellent choice in every category.

**Sous-Vide Vacuum Sealer**
**FS 3609**

**Sous-Vide Cooker**
**SV 2447**



PLUS X AWARD®
2015 achieved for:
High Quality
Design
Ease of Use
Functionality

# James
## THE WONDERMACHINE *11 in 1*

I'm James the Wondermachine – the all-round talent for your kitchen. Pleased to meet you!

I can make your life not just easier but twice as tasty too: Discover my many different functions and let your creativity run free. Making every meal a highlight – that's James' promise!

- **COOKING**
- **STEAMING**
- **GRINDING**
- **STIRRING**
- **BEATING**
- **KNEADING**
- **MIXING**
- **EMULSIFYING**
- **BLENDING**
- **SHREDDING**
- **HEATING**

**incl. cookbook with more than 60 creative recipe ideas**

NEW

## KM 3895

Discover the diversity and recipe collection of James!

www.james-and-me.com

| | |
|---|---|
| **Description** | **James the Wondermachine** |
| **Art. No.** | **KM 3895** |
| **Colour/Material** | black-white |
| **PU** | display carton, 1 piece |
| **Wattage** | **max. 1050 W, motor: 500 W** |
| **Capacity** | approx. 1.5 l |

**Features**

- **all in one:** cooking, steaming, grinding, stirring, beating, kneading, mixing, emulsifying, blending, shredding, heating
- **4 temperature levels for cooking and steaming**
  200 rpm = 37 °C, 70 °C, 100 °C, 0 rpm = 120 °C
- **5 power settings incl. turbo function**
  400 rpm, 1.000 rpm, 3.000 rpm, 6.000 rpm, turbo: 7.000 rpm
- manual time setting for exact programming of the cooking/steaming time
- electronic temperature control for precise heating
- **removable high-grade stainless-steel blender jug**
- stainless steel blade
- **2 butterfly-type plastic stirring attachment**
- 2 transparent lids
- **incl. 4-part steaming top and practical stirring rod**
- butterfly-type plastic stirring attachment, stirring rod and steaming set are dishwasher safe
- LED display
- acoustic signal
- 60 minute timer
- safety lock system
- automatic switch-off
- easy to clean
- approx. dimensions incl. steaming top: W = 44 cm, D = 40 cm, H = 31 cm
- approx. dimensions without steaming top: W = 33.5 cm, D = 29 cm, H = 27.5 cm

**A comprehensive cookbook with more than 60 recipe ideas**

- makes an easy access into the culinary variety of James

**Discover the diversity and recipe collection of James**

- available via QR-Code.

CE

| | |
|---|---|
| **EAN** | 4008146016509 |
| **Other colours / EAN** | |

**Active in the day-time with SEVERIN and FIT FOR FUN.**

FIT FOR FUN

## SM 3735

**Smoothie Mix & Go**

**SM 3735**

white-green

display carton, 4 pcs.

**approx. 300 W**

approx. 600 ml

- **blender and drink bottle – all in one**
- 2 detachable and dishwasher-safe drink bottles made of Tritan (Bisphenol-A free), incl. lids
- 1 speed-setting with additional pulse function
- easy-to-clean
- **stainless steel blade**
- safety cut-out
- non-slip feet
- ideal for taking it to work, to the gym or when travelling

**RECIPE IDEAS VIA QR-CODE**
Useful recipe ideas available via QR-Code.

**ZB 9056 Spare-drink bottles**
4008146014901
PU 6 pcs.

- 2 drink bottles 600 ml each

CE

4008146011436

## ES 3567

VIDEO

ES 3568

**Slow Juicer**

**ES 3567**

white-green

display carton, 1 piece

**approx. 150 W**

approx. 950 ml

- powerful professional-style juicer
- **low speed (ca 105 rpm) for maximum juice extraction**
- noiseless air-cooled motor
- food chute for easy extraction
- 950 ml pulp container
- juice container with foam separator ca. 950 ml
- easy to clean incl. cleaning brush
- reversible rotation in case of blockage
- **stainless steel micro-sieve**
- non-slip feet

CE

4008146013539

**ES 3568** white-red / 4008146016516

## MW 7880

## MW 7803

| | MW 7880 | MW 7803 |
|---|---|---|
| **Description** | **Built-in Microwave Oven** | **Microwave with Grill and Convection** |
| **Art. No.** | **MW 7880** | **MW 7803** |
| **Colour/Material** | brushed stainless steel-black | silver |
| **PU** | 1 piece | display carton, 1 piece |
| **Wattage** | **approx. 800 W** | **approx. 900 W** |
| **Capacity** | total capacity* approx. 20 l | total capacity* approx. 30 l |
| **Features** | · turntable dia.: approx. 24.5 cm<br>· height of the interior of the microwave oven: approx. 17.5 cm<br>· real usable capacity** approx. 8 l<br>· **interior, stainless steel**<br>· separate 1000 W grill<br>· **microwave and grill can be operated separately or in combination**<br>· 5 microwave power settings, 1 grill setting, 2 microwave combination-programmes<br>· defrosting and heating functions can be used in combination<br>· time and weight defrost<br>· removable turntable<br>· with grill rack<br>· **95-min timer with acoustic signal (can be used separately as a kitchen timer)**<br>· digital multi-function display with 24h clock<br>· full power quick start<br>· **8 different auto cook settings**<br>· child safty lock<br>· approx. dimensions (W) = 59.5 cm, (D) = 34.5 cm, (H) = 39 cm | · turntable dia. approx. 31.5 cm<br>· height of the interior of the microwave oven: approx. 20 cm<br>· real usable capacity** approx. 16 l<br>· heat resistant housing<br>· **interior, stainless steel**<br>· **2500 W convection**<br>· 1100 W grill<br>· **microwave, grill and convection combination modes**<br>· preheat function up to 230 °C on convection mode<br>· **digital multi-function display**<br>· digital cooking timer with acoustic signal<br>· 12h and 24h clock<br>· 5 microwave power settings<br>· removable turntable<br>· with grill rack<br>· time and weight defrost<br>· full power quick start<br>· **10 different auto cook settings**<br>· 3 programme sequence cooking<br>· 4 microwave, convection and grill combinations<br>· child safety lock<br>· approx. dimensions (W) 52.3 x (D) 50.5 x (H) 32.5 cm |
| | CE | CE |
| **EAN** | 4008146011030 | 4008146780301 |

## MW 7848

## MW 7877

| | MW 7848 | MW 7877 |
|---|---|---|
| | **Microwave with Grill and Convection** | **Microwave with Grill and Convection** |
| | **MW 7848** | **MW 7877** |
| | brushed stainless steel | silver stainless steel |
| | display carton, 1 piece | display carton, 1 piece |
| | **approx. 900 W** | **approx. 800 W** |
| | total capacity* approx. 25 l | total capacity* approx. 20 l |
| | · turntable dia. approx. 31.5 cm<br>· height of the interior of the microwave oven: approx. 19.4 cm<br>· real usable capacity** approx. 15 l<br>· **brushed stainless steel housing**<br>· **interior, stainless steel**<br>· **2400 W convection**<br>· 1400 W grill<br>· **microwave, grill and convection combination modes**<br>· preheat function up to 240 °C on convection mode<br>· **digital multi-function display**<br>· digital cooking timer with acoustic signal<br>· 12h and 24h clock<br>· 5 microwave power settings<br>· removable turntable<br>· with grill rack<br>· time and weight defrost<br>· full power quick start<br>· **10 different auto cook settings**<br>· 4 microwave, convection and grill combinations<br>· child safety lock<br>· approx. dimensions (W) 51.5 x (D) 46 x (H) 31 cm | · turntable dia. approx. 24.5 cm<br>· height of the interior of the microwave oven: approx. 17.5 cm<br>· real usable capacity** approx. 8.2 l<br>· **stainless steel front panel**<br>· heat resistant housing<br>· interior coated<br>· **digital multi-function display**<br>· separate grill function approx. 1350 W<br>· **separate hot air function approx. 1350 W**<br>· 10 different power settings, incl. defrost and grill functions<br>· **microwave, grill and convection combination modes**<br>· timer with acoustic signal<br>· child safety lock<br>· 2 grill racks<br>· full power quick start<br>· **9 automatic programmes**<br>· suppressible key beep<br>· removable turntable<br>· approx. dimensions (W) = 45.8 cm, (D) = 40 cm, (H) = 26.5 cm |
| | CE | CE |
| | 4008146784804 | 4008146013522 / **159,90** |

*according to manufacturer's information **calculated with the diameter of the turntable and the height of the interior of the microwave oven

*according to manufacturer's information **calculated with the diameter of the turntable and the height of the interior of the microwave oven

NEW

| | MW 7864 | MW 9675 | MW 7849 | MW 7879 |
|---|---|---|---|---|
| **Description** | **Microwave with Grill and Convection** | **Microwave with Grill and Convection** | **Microwave with Grill** | **Mikrowelle with Grill** |
| **Art. No.** | **MW 7864** | **MW 9675** | **MW 7849** | **MW 7879** |
| **Colour/Material** | black | silver | brushed stainless-steel | brushed stainless-steel - silver |
| **PU** | display carton, 1 piece | display carton, 1 piece | display carton, 1 piece | display carton, 1 piece |
| **Wattage** | **approx. 800 W** | **approx. 800 W** | **approx. 900 W** | **approx. 700 W** |
| **Capacity** | total capacity* approx. 23 l | total capacity* approx. 23 l | total capacity* approx. 22 l | total capacity* approx. 20 l |
| **Features** | · turntable dia. approx. 27 cm<br>· height of the interior of the microwave oven: approx. 18.5 cm<br>· real usable capacity** approx. 11 l<br>· heat resistant housing<br>· interior coated<br>· **1200 W hot air function**<br>· 1200 W grill<br>· **microwave, grill and convection combination modes**<br>· preheat function up to 190 °C on convection mode<br>· **digital multi-function display**<br>· digital cooking timer with acoustic signal<br>· 24h clock<br>· 5 microwave power settings<br>· removable turntable<br>· 2 grill racks<br>· time and weight defrost<br>· full power quick start<br>· **10 different automatic cooking programmes incl. pizza function**<br>· child safety lock<br>· approx. dimensions (W) 49.5 x (D) 41.5 x (H) 29.5 cm | · turntable dia. approx. 27 cm<br>· height of the interior of the microwave oven: approx. 19 cm<br>· real usable capacity** approx. 11 l<br>· heat resistant housing<br>· interior coated<br>· **1200 W convection**<br>· 1200 W grill<br>· **microwave, grill and convection combination modes**<br>· preheat function up to 190 °C on convection mode<br>· **digital multi-function display**<br>· digital cooking timer with acoustic signal<br>· 24h clock<br>· 5 microwave power settings<br>· removable turntable<br>· 2 grill racks<br>· time and weight defrost<br>· full power quick start<br>· **10 different automatic cooking programmes incl. pizza function**<br>· child safety lock<br>· approx. dimensions (W) 49 cm x (D) 40.5 cm x (H) 29.5 cm | · turntable dia. approx. 27 cm<br>· height of the interior of the microwave oven: approx. 19 cm<br>· real usable capacity** approx. 11 l<br>· **brushed stainless-steel housing**<br>· coated interior<br>· 1000 W grill<br>· 9 different power settings, incl. defrost and grill functions<br>· **microwave/grill combination modes**<br>· 30-minute timer with acoustic signal<br>· removable turntable<br>· 2 grill racks<br>· approx. dimensions (W) 48.5 x (D) 40 x (H) 28 cm | · turntable dia. approx. 25.5 cm<br>· height of the interior of the microwave oven: approx. 15,8 cm<br>· real usable capacity: approx. 10 l**<br>· heat resistant painted housing<br>· **stainless steel front plate**, interior lacquered<br>· **grill approx. 1000 W**<br>· 9 microwave power settings including defrost and grill setting<br>· **microwave / grill combination**<br>· 35 min. timer with buzzer<br>· grill rack<br>· approx. dimensions W = 44 cm, D = 34.8 cm, H = 25.8 cm |
| | CE | CE | CE | CE |
| **EAN** | 4008146004346 | 4008146967504 | 4008146784903 | 4008146018961 |

*according to manufacturer's information **calculated with the diameter of the turntable and the height of the interior of the microwave oven

## MW 7874

**MW 7875**

## MW 7873

| | | |
|---|---|---|
| **Description** | **Microwave with Grill** | **Microwave** |
| **Art. No.** | **MW 7874** | **MW 7873** |
| **Colour/Material** | silver stainless-steel | white |
| **PU** | display carton, 1 piece | display carton, 1 piece |
| **Wattage** | **approx. 700 W** | **approx. 900 W** |
| **Capacity** | total capacity* approx. 20 l | total capacity* approx. 28 l |
| **Features** | · turntable dia. approx. 24.5 cm<br>· height of the interior of the microwave oven: approx. 17.5 cm<br>· real usable capacity** approx. 8.2 l<br>· **stainless steel front panel**<br>· heat resistant housing<br>· interior coated<br>· separate grill function approx. 900 W<br>· 9 different power settings, incl. defrost functions (time and weight defrost)<br>· **microwave/grill combination modes**<br>· 30 minute timer with acoustic signal<br>· removable turntable<br>· additional grill rack<br>· approx. dimensions (W) = 45.2 cm, (D) = 35.2 cm, (H) = 26.2 cm<br><br>**MW 7875 Microwave with Grill**<br>same features as **MW 7874,**<br>but without stainless steel front panel | · turntable dia. approx. 31.5 cm<br>· height of the interior of the microwave oven: approx. 21 cm<br>· real usable capacity** approx. 16.4 l<br>· heat resistant housing, coated<br>· interior coated<br>· 5 different power settings, incl. defrost functions (time and weight defrost)<br>· 35 minute timer with acoustic signal<br>· removable turntable<br>· approx. dimensions (W) = 51 cm, (D) = 43 cm, (H) = 30.5 cm |
| | CE | CE |
| **EAN** | 4008146013485 | 4008146013492 |
| **Other colours / EAN** | **MW 7875** silver / 4008146013478 | |

*according to manufacturer's information **calculated with the diameter of the turntable and the height of the interior of the microwave oven

## MW 7809

**MW 7810**

## KH 2044

| | | |
|---|---|---|
| **Microwave** | **MW 7809** | **Toast Oven with 2 hotplates** |
| | white | **KH 2044** |
| | display carton, 1 piece | black |
| | **approx. 700 W** | display carton, 1 piece |
| | total capacity* approx. 17 l | **approx. 2500 W** |
| | · turntable dia. approx. 24.5 cm<br>· height of the interior of the microwave oven: approx. 17.5 cm<br>· real usable capacity** approx. 8 litres<br>· heat resistant painting<br>· interior coated<br>· 6 different microwave power settings incl. defrost programme<br>· 30 minute timer with acoustic signal<br>· removable turntable<br>· approx. dimensions (W) 45.5 x (D) 31.5 x (H) 26.2 cm<br><br>**MW 7810 Microwave with Grill**<br>same features as **MW 7809**,<br>but with **separate grill function approx. 900 W**,<br>**9 different power settings** and additional grill rack | interior capacity approx. 28 l<br>· heat resistant painting<br>· **top and bottom heat approx. 1500 W**<br>· hotplates 15.5 cm Ø, approx. 1000 W and 18.5 cm Ø, approx. 1500 W<br>· **7-stage switch**: off – top heat – bottom heat – top and bottom heat – left hotplate 850 W – left hotplate 1100 W – left hotplate 1500 W<br>· variable thermostat: 100 °C – 230 °C<br>· 5-stage switch for right hotplate<br>· pilot light<br>· enamelled baking tray, size: approx. 36.5 x 29.5 cm<br>· grill rack, size: approx. 36.5 x 27 cm<br>· 3 shelf positions<br>· approx. dimensions (W) 51.5 x (D) 42.5 x (H) 36.5 cm |
| | CE | CE |
| | 4008146780905 | 4008146004179 |
| | **MW 7810** white / 4008146781001 | |

*according to manufacturer's information **calculated with the diameter of the turntable and the height of the interior of the microwave oven

SEVERIN

## TO 2058

| | |
|---|---|
| **Description** | **Toast Oven with Convection** |
| **Art. No.** | **TO 2058** |
| **Colour/Material** | black-silver |
| **PU** | display carton, 1 piece |
| **Wattage** | **stainless steel heating elements approx. 1800 W** |
| **Capacity** | interior capacity approx. 42 l |
| **Features** | • heat resistant painting<br>• 4-stage switch: top heat – bottom heat – top heat and spit – top and bottom heat with convection<br>• variable thermostat: 60 °C – 230 °C<br>• 120-minute timer with acoustic signal at the end of the cooking cycle<br>• pilot light<br>• **with turning spit for meat and poultry**<br>• **with pizza grillstone, dia. 29 cm, suitable even for big pizzas**<br>• with grill rack and baking tray, size: 38.5 x 31.5 cm<br>• 4 shelf positions<br>• detachable crumb tray<br>• approx. dimensions (W) 52 x (D) 43 x (H) 36.5 cm |
| | CE |
| **EAN** | 4008146004339 |

## TO 2056

| | |
|---|---|
| **Toast Oven with Convection** | |
| **TO 2056** | |
| black-silver | |
| display carton, 1 piece | |
| **stainless steel heating elements approx. 1600 W** | |
| interior capacity approx. 30 l | |
| • heat resistant painted housing<br>• 4-position switch: upper heat with turning spit – upper/lower heat with hot-air convection – upper heat – lower heat<br>• variable thermostat: 0 – 230 °C<br>• 120-minute timer with acoustic signal at the end of the cooking cycle<br>• pilot light<br>• **with turning spit for meat and poultry**<br>• with grill and baking rack, size: 32.5 x 28 cm<br>• **suitable for cooking big pizzas**<br>• 3 variable shelf positions<br>• detachable crumb tray<br>• approx. dimensions (W) 45 x (D) 39 x (H) 34.5 cm | |
| CE | |
| 4008146012464 | |

## TO 2057

| | |
|---|---|
| **Toast Oven with hot air function** | |
| **TO 2057** | |
| black-silver | |
| display carton, 1 piece | |
| **stainless steel heating elements approx. 1000 W** | |
| interior capacity approx. 18 l | |
| • heat resistant painted housing<br>• 4-position switch: upper heat with hot-air convection – upper/lower heat with hot-air convection – upper heat – lower heat<br>• variable thermostat: 0 – 230 °C<br>• 60-minute timer with acoustic signal at the end of the cooking cycle<br>• pilot light<br>• with grill and baking rack, size: 28.5 x 25 cm<br>• 3 variable shelf positions<br>• suitable for commercial pizzas<br>• detachable crumb tray<br>• approx. dimensions: (W) = 42 cm, (D) = 33.5 cm, (H) = 28.5 cm | |
| CE | |
| 4008146011535 | |

## TO 2034

| | |
|---|---|
| **Toast Oven** | |
| **TO 2034** | |
| black-silver | |
| display carton, 1 piece | |
| **stainless steel heating elements approx. 1500 W** | |
| interior capacity approx. 20 l | |
| • heat resistant painting<br>• 4-stage switch: off - top heat - bottom heat - top and bottom heat<br>• variable thermostat: 100 °C – 230 °C<br>• 60-minute timer with acoustic signal at the end of the cooking cycle<br>• pilot light<br>• with grill and baking rack<br>• size of baking tray: (W) 28 x (D) 28 cm<br>• variable shelf positions<br>• **suitable for pizzas up to dia. 28 cm**<br>• detachable crumb tray<br>• approx. dimensions (W) 45.2 x (D) 40.2 x (H) 28.7 cm | |
| CE | |
| 4008146203404 | |

*according to manufacturer's information **calculated with the diameter of the turntable and the height of the interior of the microwave oven

SEVERIN

## TO 2052

## TO 2054

| | | |
|---|---|---|
| **Description** | **Toast Oven** | **Toast Oven** |
| **Art. No.** | **TO 2052** | **TO 2054** |
| **Colour/Material** | black-silver | white |
| **PU** | display carton, 2 pcs. | display carton, 2 pcs. |
| **Wattage** | **approx. 800 W** | **approx. 800 W** |
| **Capacity** | interior capacity approx. 9 l | interior capacity approx. 9 l |
| **Features** | • heat resistant painting<br>• 4-position switch: off – upper heat – lower heat – upper and lower heat<br>• 60 minute timer with buzzer at the end of the selected cooking cycle<br>• indicator light<br>• grill and baking rack<br>• baking tray dimensions: (W) 24.5 x (D) 15 cm<br>• non-skid rubber feet<br>• approx. dimensions (W) 35.8 x (D) 31 x (H) 21 cm | • heat resistant painting<br>• 4-position switch: off – upper heat – lower heat – upper and lower heat<br>• 60 minute timer with buzzer at the end of the selected cooking cycle<br>• indicator light<br>• grill and baking rack<br>• baking tray dimensions: (W) 24.5 x (D) 15 cm<br>• non-skid rubber feet<br>• approx. dimensions (W) 35.8 x (D) 31 x (H) 21 cm |
| | CE | CE |
| **EAN** | 4008146008955 | 4008146013553 |

INDUCTION

INDUCTION

NEW

NEW

## DK 1031

## KP 1071

| | | |
|---|---|---|
| **Description** | **Double Induction Cooker** | **Induction Cooker** |
| **Art. No.** | **DK 1031** | **KP 1071** |
| **Colour/Material** | black | black |
| **PU** | display carton, 2 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 3400 W** | **approx. 2000 W** |
| **Features** | • 2 ceramic cooking surfaces (∅ 21 cm) with auto-pan detection<br>• **fast, energy saving and easy to clean**<br>• the heat is generated directly in the base of the saucepan<br>• **minimal loss of energy from heat dissipation**<br>• **no burnt food on the cooking surface**<br>• illuminated display<br>• touch control panel<br>• temperature range from 60 - 240 °C, up to 10 power settings<br>• 180 minute timer with buzzer and auto switch off<br>• thermal safety cut-out<br>• pilot light<br>• approx. dimensions: (W) 59 x (D) 35.5 x (H) 4.8 cm | • ceramic cooking surfaces (∅ 21 cm) with auto-pan detection<br>• **fast, energy saving and easy to clean**<br>• the heat is generated directly in the base of the saucepan<br>• **minimal loss of energy from heat dissipation**<br>• **no burnt food on the cooking surface**<br>• illuminated display<br>• touch control panel<br>• temperature range from 60 - 240 °C, up to 10 power settings<br>• 180 minute timer with buzzer and auto switch off<br>• thermal safety cut-out<br>• pilot light<br>• approx. dimensions: W = 28 cm, D = 35 cm, H = 4.2 cm |
| | CE | CE |
| **EAN** | 4008146017476 | 4008146015953 |

SEVERIN

## DK 1014

DK 1042

## KP 1092

KP 1091

| | DK 1014 | KP 1092 |
|---|---|---|
| **Description** | **Table Stove** | **Table Stove** |
| **Art. No.** | **DK 1014** | **KP 1092** |
| **Colour/Material** | brushed-stainless-steel | brushed-stainless-steel |
| **PU** | display carton, 3 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 2500 W** | **approx. 1500 W** |
| **Capacity** | | |
| **Features** | · brushed stainless steel top<br>· heating elements:<br>15 cm ∅, approx. 1000 W<br>18 cm ∅, approx. 1500 W<br>· stageless temperature control<br>· pilot lights<br>· approx. dimensions (W) 46 x (D) 29 x (H) 7.7 cm | · brushed stainless steel top<br>· heating element approx 18 cm ∅<br>· stageless temperature control<br>· pilot light<br>· approx. dimensions (W) 25 x (D) 28.5 x (H) 8 cm |
| | **DK 1042 Table Stove**<br>same features as **DK 1014**, but with<br>highly heat-resistant painting,<br>heating elements: 15.5 cm ∅, approx. 1000 W<br>18.5 cm ∅, approx. 1500 W and<br>approx. dimensions: (W) 50 x (D) 29 x (H) 8.5 cm | **KP 1091 Table Stove**<br>same features as **KP 1092**, but with<br>highly heat-resistant painting,<br>heating elements approx. 18.5 cm ∅ and<br>approx. dimensions: (W) 25 x (D) 29 x (H) 8.5 cm |
| | CE | CE |
| **EAN** | 4008146009488 | 4008146009501 |
| **Other colours / EAN** | **DK 1042** white / 4008146002489 | **KP 1091** white / 4008146002465 |

NEW

## MC 2448

## BM 3990

| | MC 2448 | BM 3990 |
|---|---|---|
| | **Multi-Cooker** | **Breadmaker** |
| | **MC 2448** | **BM 3990** |
| | brushed stainlesss steel-black | white |
| | display carton, 2 pcs. | display carton, 2 pcs. |
| | **approx. 900 W** | **approx. 600 W** |
| | approx. 5 l | approx. 750 - 1000 g |
| | · all in one: slow cooker, rice cooker & steam cooker in a single appliance<br>· highly versatile: frying, baking, steam cooking, keeping hot, re-heating<br>· **20 different auto cook settings**<br>· 4 different options for cooking rice<br>· removable, non-stick bowl<br>· cooking times manually adjustable<br>· automatic switch-off<br>· **keeps food warm for up to 11 hours**<br>· lid includes stainless-steel face-plate and steam vent<br>· steaming insert, 2 serving spoons, 1 measuring cup included<br>· practical spoon holder and handle<br>· English LCD display<br>· **24h timer**<br>· easy to clean<br>· with buzzer<br>· pilot light<br>· approx. dimensions (W) = 29.6 cm, (H) = 26 cm, (D) = 39.2 cm | · cool touch housing<br>· detachable lid with viewing window<br>· detachable non-stick baking pan<br>· fully automatic kneading and baking operation<br>· **12 settings for different kinds of bread, wholemeal bread, cakes and doughs for buns or pizza**<br>· capacity 3.5 l (750 - 1000 g bread)<br>· user friendly LED display<br>· baking cycle selector<br>· choice of 3 crust settings<br>· keeps the bread warm up to one hour after the baking process has been finished<br>· memory function up to 5 minutes in case of power failure<br>· acoustic signal to add complementary ingredients<br>· measuring scoop and cup included<br>· recipe ideas |
| | **RECIPE IDEAS VIA QR-CODE**<br>Useful recipe ideas available via QR-Code. | |
| | CE | CE |
| **EAN** | 4008146015472 | 4008146399008 |

## SV 2447

VIDEO

## FS 3609

| | SV 2447 | FS 3609 |
|---|---|---|
| **Description** | **Sous-Vide Cooker** | **Sous-Vide Vacuum Sealer** |
| **Art. No.** | **SV 2447** | **FS 3609** |
| **Colour/Material** | brushed stainless-steel-black | black-silver |
| **PU** | display carton, 2 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 550 W** | **approx. 170 W** |
| **Capacity** | approx. 6 l | |
| **Features** | · **brushed stainless steel housing**<br>· removable, non-stick bowl, capacity approx. 6 l<br>· easy-to-clean<br>· precise temperature control between 40 – 99 °C with max. 1 °C deviation **for precise "low-temperature" cooking**<br>· gentle, fat-free cooking method: preserves vitamines and essential nutrients<br>· with buzzer<br>· **24h timer**<br>· LED display<br>· pilot light<br>· for the use of the item we recommend our Sous-Vide Vacuum Sealer FS 3609<br>· approx. dimensions (W) = 44 cm, (D) = 29 cm, (H) = 23 cm | · **fully automatic suction and bag-sealing process**<br>· 2 pilot lights for vacuum control and sealing function<br>· includes 5 vacuum bags: 20 x 30 cm, suitable for sous-vide vacuum cooking<br>· cable storage<br>· froozen food maintains colour and taste<br>· avoids freezer burn<br>· minerals are preserved<br><br>**ZU 3607 Spare Bags** (not illustrated)<br>4008146013157<br>PU 18 pcs.<br>· 50 spare bags: 20 x 30 cm<br><br>**ZU 3612 Spare Bags** (not illustrated)<br>4008146015120<br>PU 10 pcs.<br>· 50 spare bags: 30 x 40 cm |
| | CE | CE |
| **EAN** | 4008146011993 | 4008146013027 |

## FS 3604

## DO 3854

| | FS 3604 | DO 3854 |
|---|---|---|
| **Bag Sealer** | **Can Opener** | |
| **FS 3604** | **DO 3854** | |
| white | white-grey | |
| display carton, 6 pcs. | display carton, 12 pcs. | |
| **approx. 160 W** | **approx. 25 W** | |
| · air-suction function<br>· with sealing wire and cut off wire<br>· viewing window<br>· **2 pilot lights for vacuum control and sealing function**<br>· 1 roll of foil included, width 28.5 cm<br>· cable storage<br><br>**ZU 3608 Spare Foil** (not illustrated)<br>4008146010378<br>PU 10 pcs.<br>· 3 rolls 10 m each for Bag Sealer Art.-No. FS 3604, width 28.5 cm | · finger-tip pressure on/off switch<br>· automatic cutting operation<br>· magnetic lid holder<br>· handle removable for easy cleaning | |
| CE | CE | |
| 4008146009648 | 4008146003028 | |



## FR 2431

## FR 2437

| | | |
|---|---|---|
| **Description** | **Deep Fryer** | **Deep Fryer** |
| **Art. No.** | **FR 2431** | **FR 2437** |
| **Colour/Material** | brushed stainless steel | brushed stainless steel-black |
| **PU** | display carton, 2 pcs. | display carton, 2 pcs. |
| **Wattage** | **approx. 2000 W** | **approx. 1500 W** |
| **Capacity** | approx. 3 l | approx. 2 l |
| **Features** | · stainless steel housing<br>· **removable enamelled oil/fat container**<br>· deep-frying capacity approx. 400 g<br>· **oil/fat container and fryer basket dishwasher safe**<br>· variable temperature control up to 190 °C with safety cut-out<br>· removable stainless steel dust protection lid with inspection window and replaceable filter<br>· safety feature: heating element automatically switches off when removed<br>· power indicator light and stand-by indicator<br>· cable storage | · **heat-insulated stainless-steel housing**<br>· **non-stick coated container**<br>· load capacity approx. 300 g of food<br>· adjustable temperature control up to 180 °C with thermal safety cut-out<br>· main and temperature indicator light<br>· detachable lid with observation window<br>· lid with replaceable fat filter |
| | CE | CE |
| **EAN** | 4008146009662 | 4008146243707 |

## FR 2419

## FR 2433

## FR 2408

| | | | |
|---|---|---|---|
| **Description** | **Deep Fryer** | **Deep Fryer** | **Mini Deep Fryer with Fondue** |
| **Art. No.** | **FR 2419** | **FR 2433** | **FR 2408** |
| **Colour/Material** | brushed stainless steel-black | white | black-silver |
| **PU** | display carton, 4 pcs. | display carton, 2 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 1300 W** | **approx. 1800 W** | **approx. 840 W** |
| **Capacity** | approx. 1.5 l | approx. 2.5 l | approx. 950 ml |
| **Features** | · **heat insulated stainless steel housing**<br>· **non-stick coated container**<br>· basket with removable handle<br>· deep-frying capacity approx. 350 g<br>· adjustable thermostat up to 180 °C with safety switch-off<br>· pilot light and ready-to-use light indicator<br>· removable lid with viewing window<br>· lid with replaceable filter | · **heat insulated plastic housing**<br>· handle to lower/raise basket with the lid closed<br>· push-button for automatic lid release<br>· 30 minute timer with buzzer<br>· **non-stick coated container**<br>· frying capacity approx. 500 g<br>· main indicator light<br>· stand-by indicator light<br>· thermal safety cut-out<br>· variable temperature control up to 190 °C<br>· detachable lid with viewing window<br>· replaceable filter in the lid<br>· lid opens at the push of a button<br>· cable storage | · **heat insulated housing**<br>· **non-stick coated container**<br>· adjustable thermostat up to 190 °C with safety switch-off<br>· pilot light<br>· basket with removable handle<br>· deep-frying capacity approx. 200 g<br>· lid with viewing window and replaceable filter<br>· **removable lid for use as Fondue**<br>· removable splash guard ring with fork support<br>· 6 fondue forks |
| | CE | CE | CE |
| **EAN** | 4008146241901 | 4008146002441 | 4008146240805 |

| | SA 2968 | SA 2969 | SA 2971 | SA 2967 |
|---|---|---|---|---|
| **Description** | **Multi-Sandwich-Toaster** | **Sandwich-Toaster** | **Sandwich-Toaster** | **Sandwich-Toaster with grill plates** |
| **Art. No.** | **SA 2968** | **SA 2969** | **SA 2971** | **SA 2967** |
| **Colour/Material** | brushed stainless steel-black | brushed stainless steel-black | white | white |
| **PU** | display carton, 4 pcs. | display carton, 6 pcs. | display carton, 6 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 1000 W** | **approx. 600 W** | **approx. 600 W** | **approx. 700 W** |
| **Capacity** | | | | |
| **Features** | · heat resistant housing with stainless steel cover<br>· cool touch handles with locking clip<br>· **3 convertible non-stick coated plates: sandwich plates, grilling plates, „Brussels“- waffle plates**<br>· power and ready-to-use indicators<br>· non-slip feet<br>· preset thermostat<br>· space-saving vertical storage | · heat resistant housing with stainless steel cover<br>· cool touch handles with locking clip<br>· **non-stick coated plates**<br>· easy to clean<br>· power and ready-to-use indicators<br>· non-slip feet<br>· preset thermostat<br>· space-saving vertical storage<br>· cable storage | · heat resistant housing<br>· cool touch handles with locking clip<br>· **non-stick coated plates**<br>· easy to clean<br>· power and ready-to-use indicators<br>· non-slip feet<br>· preset thermostat<br>· space-saving vertical storage<br>· cable storage | · heat resistant housing<br>· cool touch handles with locking clip<br>· **non-stick grill plates**<br>· easy to clean<br>· power and ready-to-use indicators<br>· non-slip feet<br>· preset thermostat<br>· space-saving vertical storage |
| | CE | CE | CE | CE |
| **EAN** | 4008146014536 | 4008146015144 | 4008146015397 | 4008146002502 |

SEVERIN

reddot design award
winner 2014

NEW

## WA 2106

## WA 2113

## WA 2104

## WA 2103

| | WA 2106 | WA 2113 | WA 2104 | WA 2103 |
|---|---|---|---|---|
| **Description** | **Double Waffle Maker** | **Brussels Waffle Maker** | **Waffle Maker** | **Waffle Maker** |
| **Art. No.** | **WA 2106** | **WA 2113** | **WA 2104** | **WA 2103** |
| **Colour/Material** | black | black | black-silver | brushed stainless steel-black |
| **PU** | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 1200 W** | **approx. 900 W** | **approx. 1000 W** | **approx. 1300 W** |
| **Capacity** | | | | |
| **Features** | · heat resistant housing<br>· **double plates**<br>· **non-stick coated**<br>· power and ready-to-use indicators<br>· variable thermostat<br>· space-saving vertical storage<br>· cable storage | · heat resistant housing<br>· **double plates**<br>· **non-stick coated**<br>· easy to clean<br>· power and ready-to-use indicators<br>· non-slip feet | · heat resistant plastic housing<br>· **non-stick coating**<br>· power and ready-to-use indicators<br>· variable thermostat<br>· space-saving vertical storage | · heat resistant housing with stainless steel cover<br>· **non-stick coating**<br>· power and ready-to-use indicators<br>· variable thermostat<br>· space-saving vertical storage |
| | CE | CE | CE | CE |
| **EAN** | 4008146010156 | 4008146012556 | 4008146009235 | 4008146210303 |

NEW

## HA 2082

## EZ 7404

## PC 3751

| | | | |
|---|---|---|---|
| **Description** | **Wafer/Cone Maker** | **Ice-Cream Maker** | **Popcorn Maker** |
| **Art. No.** | **HA 2082** | **EZ 7404** | **PC 3751** |
| **Colour/Material** | silver | white | white |
| **PU** | display carton, 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 850 W** | **approx. 5 W** | **approx. 1200 W** |
| **Capacity** | | | |
| **Features** | • plastic housing<br>• variable thermostat<br>• **non-stick coating**<br>• pilot light<br>• ready-to-use indicator<br>• cable storage<br>• non-slip feet<br>• **incl. cone shaping tool** | • plastic housing<br>• ice-cream made in approx. 30 minutes<br>• **for making differnt types of ice-cream, fruit ice-cream, sherbet, frozen yogurt**<br>• ice-cold drinks<br>• on/off switch<br>• ice-cream bowl can be removed for easy cleaning; capacity approx. 1 l<br>• **double-walled ice-cream bowl for best long-lasting freezing results**<br>• non-skid rubber feet<br><br>**RECIPE IDEAS VIA QR-CODE**<br>Useful recipe ideas available via QR-Code. | • **prepares popcorn with hot air in approx. 2.5 min**<br>• transparent lid with integrated filling scoop<br>• on-off switch with pilot light<br>• non-slip feet |
| | CE | CE | CE |
| **EAN** | 4008146002007 | 4008146019326 | 4008146375101 |

sweet & savoury

## CM 2198

## OD 2940

| | | |
|---|---|---|
| **Crêpes Maker** | **Fruit Dryer** |
| **CM 2198** | **OD 2940** |
| black | white |
| display carton, 4 pcs. | display carton, 2 pcs. |
| **approx. 1000 W** | **approx. 250 W** |
| • high-quality plastic housing<br>• **non-stick coated crêpes pan, Ø approx. 30 cm**<br>• variable thermostat<br>• on/off switch<br>• pilot light<br>• ready-to-use indicator<br>• with wooden spatula and wooden crêpes turning stick<br>• cable storage<br>• non-slip feet | • plastic housing<br>• **dries fruits, vegetables and herbs**<br>• **5 grates can be stacked up or used separately**<br>• grates with two height adjustments<br>• motor with fan<br>• maximum temperature: approx. 85 °C (bottom) and 70 °C (top)<br>• on-off switch with pilot light<br>• transparent lid<br>• diameter approx. 31 cm |
| CE | CE |
| 4008146219801 | 4008146294006 |

## EA 3653

## EA 3650

| | EA 3653 | EA 3650 |
|---|---|---|
| **Description** | **Preserving Boiler** | **Preserving Boiler** |
| **Art. No.** | **EA 3653** | **EA 3650** |
| **Colour/Material** | white-black | white-black |
| **PU** | 1 piece | 1 piece |
| **Wattage** | **approx. 1800 W** | **approx. 1800 W** |
| **Capacity** | bowl capacity approx. 29 l | bowl capacity approx. 29 l |
| **Features** | · **enamelled housing**<br>· **discharge tap**<br>· capacity of 14 1-litre preserving jars type 100<br>· useful for cooking and keeping beverages and food warm<br>· heat insulated handles<br>· temperature switch<br>· safety cut-out<br>· pilot light<br>· with rack<br>· plastic lid | · **enamelled housing**<br>· capacity of 14 1-litre preserving jars type 100<br>· useful for cooking and keeping beverages and food warm<br>· heat insulated handles<br>· temperature switch<br>· safety cut-out<br>· pilot light<br>· with rack<br>· plastic lid |
| | CE ⚠ (IPX4) | CE ⚠ (IPX4) |
| **EAN** | 4008146365300 | 4008146365003 |

## EA 3658

## EA 3657

| | EA 3658 | EA 3657 |
|---|---|---|
| **Description** | **Party Cooker** | **Party Cooker** |
| **Art. No.** | **EA 3658** | **EA 3657** |
| **Colour/Material** | white-black | white-black |
| **PU** | 1 piece | 1 piece |
| **Wattage** | **approx. 1000 W** | **approx. 1000 W** |
| **Capacity** | bowl capacity approx. 9 l | bowl capacity approx. 9 l |
| **Features** | · **enamelled housing**<br>· **discharge tap**<br>· preserving function for 3 x 1 litre round preserving-jars (type 100)<br>· useful for cooking and keeping beverages and food warm<br>· heat insulated handles<br>· temperature switch<br>· safety cut-out<br>· pilot light<br>· with rack<br>· plastic lid | · **enamelled housing**<br>· preserving function for 3 x 1 litre round preserving-jars (type 100)<br>· useful for cooking and keeping beverages and food warm<br>· heat insulated handles<br>· temperature switch<br>· safety cut-out<br>· pilot light<br>· with rack<br>· plastic lid |
| | CE ⚠ (IPX4) | CE ⚠ (IPX4) |
| **EAN** | 4008146011689 | 4008146010804 |

## KM 3909

| | |
|---|---|
| **Description** | **Food Processor with blender attachment** |
| **Art. No.** | **KM 3909** |
| **Colour/Material** | white-grey |
| **PU** | display carton, 2 pcs. |
| **Wattage** | **approx. 400 W** |
| **Capacity** | processing bowl approx 1.5 litres |
| **Features** | · **for various applications e.g. slicing, shredding, grating and kneading**<br>· 2 speed settings, with additional pulse function<br>· transparent processing bowl with measuring scale<br>· **additional blender attachement, capacity approx. 1.5 l**<br>· dual safety devices for processing bowl and lid closure<br>· dough hook<br>· stainless steel blade<br>· 1 shredding disc and 1 grating disc, both stainless steel<br>· pestle<br>· non-skid rubber feet |
| | CE |
| **EAN** | 4008146004308 |

## KM 3908

| | |
|---|---|
| **Food Processor** | |
| **KM 3908** | |
| white-grey | |
| display carton, 2 pcs. | |
| **approx. 400 W** | |
| processing bowl approx 1.5 litres | |
| · **for various applications e.g. slicing, shredding, grating and kneading**<br>· 2 speed settings, with additional pulse function<br>· transparent processing bowl with measuring scale<br>· dual safety devices for processing bowl and lid closure<br>· dough hook<br>· stainless steel blade<br>· 1 shredding disc and 1 grating disc, both stainless steel<br>· pestle<br>· non-skid rubber feet | |
| CE | |
| 4008146003462 | |

## HM 3816

| | |
|---|---|
| **Food Mixer Set** | |
| **HM 3816** | |
| stainless-steel-white-grey | |
| display carton, 4 pcs. | |
| **approx. 300 W** | |
| approx. 3 l | |
| · **mixer with stand and power-driven stainless steel bowl**<br>· powerful mixer with 5 speeds<br>· **extra turbo-speed**<br>· release button for attachments<br>· 2 beaters, 2 dough hooks<br>· mixer detachable<br>· tilt up mixer for easy removal of the bowl | |
| CE | |
| 4008146010217 | |

## HM 3810

| | |
|---|---|
| **Food Mixer Set** | |
| **HM 3810** | |
| white-grey | |
| display carton, 4 pcs. | |
| **approx. 300 W** | |
| approx. 3 l | |
| · **mixer with stand and power-driven bowl**<br>· powerful mixer with 5 speeds<br>· **extra turbo-speed**<br>· release button for attachments<br>· 2 beaters, 2 dough hooks<br>· mixer detachable<br>· tilt up mixer for easy removal of the bowl | |
| CE | |
| 4008146010231 | |

## HM 3822

## HM 3820

HM 3821

## HM 3827

| | | | |
|---|---|---|---|
| **Description** | **Food Mixer with blender attachment** | **Food Mixer** | **Food Mixer** |
| **Art. No.** | **HM 3822** | **HM 3820** | **HM 3827** |
| **Colour/Material** | white-grey | white-grey | white-grey |
| **PU** | display carton, 6 pcs. | display carton, 6 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 300 W** | **approx. 300 W** | **approx. 200 W** |
| **Capacity** | | | |
| **Features** | · 5 speeds<br>· **extra turbo speed**<br>· release button for attachments<br>· 2 beaters, 2 dough hooks<br>· **with blender attachment stainless steel arm** | · 5 speeds<br>· **extra turbo speed**<br>· release button for attachments<br>· 2 beaters, 2 dough hooks | · release button for attachments<br>· 5 speeds<br>· 2 beaters, 2 dough hooks |
| | CE | CE | CE |
| **EAN** | 4008146010255 | 4008146010279 | 4008146382703 |
| **Other colours / EAN** | | **HM 3821** red-white / 4008146010293 | |

## SM 3798

## SM 3732

| | | |
|---|---|---|
| **Hand Blender Set** | **Hand Blender Set** | |
| **SM 3798** | **SM 3732** | |
| white - silver | white - dark grey | |
| display carton, 6 pcs. | display carton, 6 pcs. | |
| **approx. 600 W** | **approx. 300 W** | |
| · easy-to-use blender<br>· **detachable stainless-steel steel arm**, easy to clean<br>· on/off switch<br>· extra turbo speed **max. 13,000 r.p.m.**<br>· variable speed control<br>· incl. blender bowl, whisk attachment, chopping attachment and wall mounting<br>· hanging-loop | · easy-to-use hand blender<br>· **detachable stainless-steel steel arm,** easy-to-clean<br>· **max. 16,000 r.p.m.**<br>· 2 start buttons for various speed settings<br>· incl. blender bowl, whisk attachment, chopping attachment and wall mounting<br>· hanging-loop | |
| CE | CE | |
| 4008146011764 | 4008146002564 | |



SEVERIN

## SM 3795

**Description** Hand Blender

**Art. No.** SM 3795

**Colour/Material** white - silver

**PU** display carton, 6 pcs.

**Wattage** approx. 600 W

**Capacity**

**Features**

- easy-to-use blender
- **detachable stainless-steel steel arm**, easy to clean
- on/off switch
- extra turbo speed **max. 13,000 r.p.m.**
- variable speed control
- hanging-loop

CE

**EAN** 4008146011580

## SM 3731

**Description** Hand Blender

**Art. No.** SM 3731

**Colour/Material** white - dark grey

**PU** display carton, 6 pcs.

**Wattage** approx. 300 W

**Capacity**

**Features**

- easy-to-use hand blender
- **detachable stainless-steel steel arm,** easy-to-clean
- **max. 16,000 r.p.m.**
- 2 start buttons for various speed settings
- hanging-loop

CE

**EAN** 4008146002601

## SM 3730

**Description** Hand Blender

**Art. No.** SM 3730

**Colour/Material** white - dark grey

**PU** display carton, 6 pcs.

**Wattage** approx. 300 W

**Capacity**

**Features**

- easy-to-use hand blender
- **detachable plastic arm,** easy-to-clean
- **max. 16,000 r.p.m.**
- 2 start buttons for various speed settings
- hanging-loop

CE

**EAN** 4008146002588

## SM 3736

**Description** Hand Blender

**Art. No.** SM 3736

**Colour/Material** white - dark grey

**PU** display carton, 6 pcs.

**Wattage** approx. 170 W

**Capacity**

**Features**

- hand blender with easy to clean plastic arm
- **max. 20,000 r.p.m.**
- push button

CE

**EAN** 4008146011450

## UZ 3861

**Description** Food Chopper

**Art. No.** UZ 3861

**Colour/Material** white-grey

**PU** display carton, 6 pcs.

**Wattage** approx. 260 W

**Capacity** approx. 650 ml

**Features**

- **650 ml container with separate lid**
- max. 3,900 r.p.m.
- pulse switch
- **stainless steel blade**
- safety switch, it starts to work only when it is closed
- non-slip rubber ring

CE

**EAN** 4008146386107

NEW

## SM 3738

**Multimixer + Mill**

**SM 3738**

brushed stainlesss steel-black

display carton, 2 pcs.

**approx. 500 W**

approx. 1 l

- **removable glass bowl with easy-pour spout, suitable for crushing ice**
- removable lid with integrated measuring cup and opening for easy addition of ingredients
- 2 speeds with additional pulse function
- **with an additional grinder-attachment for spices, pesto, dips and purée (130 ml)**
- stainless steel blade
- powerful motor
- **high-grade stainless-steel design**
- safety cut-out
- cable storage
- non-slip feet

**RECIPE IDEAS VIA QR-CODE**
Useful recipe ideas available via QR-Code.

**Further spare parts:**
ZT 9059: 1x glass bowl 1l / 4008146018176
ZT 9063: 1x food chopper 130 ml / 4008146018817

CE

4008146018565

NEW

## SM 3737

**Multimixer + Smoothie Mix & Go**

**SM 3737**

brushed stainlesss steel-black

display carton, 2 pcs.

**approx. 500 W**

approx. 1 l

- **removable glass bowl with easy-pour spout, suitable for crushing ice**
- removable lid with integrated measuring cup and opening for easy addition of ingredients
- 2 speeds
- with additional pulse function
- **includes Smoothie Maker**, consisting of 1 dishwasher-proof, detachable drink holder in Tritan (bisphenol-A free), with lid
- **Mixer and practical drink holder (ca. 600 ml) all in one**
- stainless steel blade
- powerful motor
- **high-grade stainless-steel design**
- safety cut-out
- cable storage
- non-slip feet

**RECIPE IDEAS VIA QR-CODE**
Useful recipe ideas available via QR-Code.

**Further spare parts:**
ZT 9059: 1x glass bowl 1l / 4008146018176
ZB 9056: 2x drink bottles 600 ml each / 4008146014901

CE

4008146015489

## SM 3718

**Blender**

**SM 3718**

black-brushed-stainless-steel

display carton, 2 pcs.

**approx. 550 W**

approx. 1.5 l

- **detachable glass bowl with easy-pour spout**
- 2 speeds
- with additional pulse setting
- **removable lid with integrated measuring cup and opening for easy addition of ingredients**
- stainless-steel blade
- safety cut-out
- cable storage

CE

4008146004261

## SM 3719

**Blender**

**SM 3719**

white-grey

display carton, 4 pcs.

**approx. 400 W**

approx. 1.5 l

- **removable bowl with easy-pour spout**
- 2 speeds
- with additional pulse setting
- removable lid for easy addition of ingredients
- stainless-steel blade
- safety cut-out
- cable storage

CE

4008146004285

## ES 3563

## ES 3564

## ES 3562

## KM 3916

| | ES 3563 | ES 3564 | ES 3562 | KM 3916 |
|---|---|---|---|---|
| **Description** | **Juice Extractor** | **Juice Extractor** | **Juice Extractor** | **Multi-Grater** |
| **Art. No.** | **ES 3563** | **ES 3564** | **ES 3562** | **KM 3916** |
| **Colour/Material** | black-chrome | black-chrome | white | white-green |
| **PU** | display carton, PU 2 pcs. | display carton, PU 4 pcs. | display carton, 4 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 700 W** | **approx. 400 W** | **approx. 400 W** | **approx. 200 W** |
| **Capacity** | approx. 1000 ml | approx. 450 ml | approx. 500 ml | |
| **Features** | · powerful professional juice extractor<br>· 2 speeds<br>· **max. 12,600 r.p.m, allowing you to get the most out of fruits and vegetables**<br>· **noiseless, air-cooled motor**<br>· removable 3000 ml pulp container<br>· juice container with foam separator, approx. 1000 ml<br>· **wide feed opening, can hold a whole apple, carrot and other fruits**<br>· easy to clean<br>· safety lock system<br>· **stainless steel micro strainer and cutter**<br>· non-slip feet | · powerful professional juice extractor<br>· 2 speeds<br>· **max. 14,150 r.p.m, allowing you to get the most out of fruits and vegetables**<br>· **noiseless, air-cooled motor**<br>· removable 1000 ml pulp container<br>· food chute for easy extraction<br>· transparent juice container with foam separating screen, approx. 450 ml<br>· juice outlet with drip stop<br>· easy to clean<br>· safety lock system<br>· **stainless steel micro strainer and cutter**<br>· non-slip feet | · 2 speeds<br>· removable pulp container<br>· juice container 500 ml<br>· food chute<br>· safety lock system<br>· **stainless steel strainer and cutter**<br>· non-slip feet<br>· cable storage | · powerful 5-in-1 multi-grater<br>· **slicing, grating and shredding in seconds at the push of a button**<br>· **5 interchangeable stainless-steel drums (2 for slicing, 2 for grating, 1 for shredding) with a wide range of uses**<br>· the pestle also serves as storage for the drums<br>· practical feeder chute and carrying handle<br>· easy to handle<br>· **easy to clean**<br>· on/off switch<br>· pilot light<br>· non-slip feet |
| | CE | CE | CE | CE |
| **EAN** | 4008146010668 | 4008146012105 | 4008146009198 | 4008146016950 |



SEVERIN

## AS 3915

## AS 3950

## EM 3965

## KW 3669

## KW 3667

| | | | | |
|---|---|---|---|---|
| **Description** | **Electric Universal Slicer** | **Electric Slicer** | **Electric Knife** | **Electronic Kitchen Scale** |
| **Art. No.** | **AS 3915** | **AS 3948** | **EM 3965** | **KW 3669** | **KW 3667** |
| **Colour/Material** | silver | black-silver | white-grey | brushed stainless steel-black | silver |
| **PU** | display carton, 2 pcs. | display carton, 3 pcs. | display carton, 12 pcs. | display carton, 6 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 180 W** | **approx. 150 W** | **approx. 100 W** | | |
| **Capacity** | | | | Measuring range up to 5.3 kg | up to 5 kg |
| **Features** | · **motor casing, base and safety stop made of heavy duty metal**<br>· **stainless steel blade, diameter 190 mm, removable for easy cleaning**<br>· **ham slicer blade included**<br>· thickness of slices adjustable 0 – 15 mm<br>· illuminated on/off switch<br>· carriage with finger protection and end-piece holder<br>· tilt position of food for optimum cutting results<br>· non-slip feet | · plastic housing<br>· **stainless steel blade**<br>· thickness of slices adjustable from 0 - 20 mm<br>· safety push-switch<br>· sliding tray with finger guard and end-piece holder<br>· blade cover with lock<br>· collecting tray<br>· foldable<br>· non-slip feet | · safety on/off switch<br>· finger protection<br>· release button for blades<br>· dishwasher safe blades | · LCD display<br>· 1 g graduations<br>· **tare function**<br>· overload indicator light<br>· battery indicator light<br>· auto zero after switch-on<br>· auto switch-off after 60 sec.<br>· requires 3 x 1.5 V AAA batteries (included) | · LCD display<br>· removable glass platform, easy to clean<br>· 1 g graduations<br>· **tare function**<br>· overload indicator light<br>· battery indicator light<br>· auto zero after switch-on<br>· auto switch-off after 90 sec.<br>· requires 1x3 V battery CR 2032 (included) |
| | CE | CE | CE | CE | CE |
| **EAN** | 4008146012518 | 4008146394805 | 4008146396502 | 4008146366901 | 4008146366703 |

MADE IN GERMANY
since 1892

SEVERIN

PLUG & GRILL
healthy and low-smoke barbecuing

echtes email

# Barbecue

Whether it's a summertime barbecue on the balcony or a wintry raclette or fondue indoors. It needs to be uncomplicated and effortless. Our electronic BBQ grills (most of them Made in Germany) and fondue sets are perfect for these occasions. Just plug it in and off you go – you're already up to operating temperature. They produce flavour not smoke, and they're clean again in a jiffy. Because one thing's clear: Once you've finished grilling, you'll be ready to start again.

**NEW** **Barbecue-Grill + ceramic diecast grill plate**
**PG 2794**

# PLUG & GRILL – JUST PLUG IT IN AND OFF YOU GO

PLUG & GRILL
**healthy** and
**low-smoke** barbecuing

The advantages of electric grills are obvious. Where there's a power source, the appliance is **ready to use immediately**. Just pour water into the grill pan and plug in the grill. One particular benefit is the **short heat-up time**. You can start grilling after just a few minutes. Also impressive is how the electric barbecue grills are **simple to operate and clean**. A **low purchase price and low operating costs** (electricity instead of charcoal) are other plus points.

With an electric grill the fat does not burn. Instead it drips down into the water-filled grill pan. As a result there is **no unpleasant smell** to annoy the neighbours.

**Electric barbecue grills: Ideal for the balcony and for when you need a quick meal!**



In cooperation with:
fit FOR FUN

SEVERIN

| | NEW<br>**PG 2368** | NEW<br>**PG 2367** |
|---|---|---|
| **Description** | **Barbecue Grill incl. lid »SMART-LINE«** | **Barbecue Grill »SMART-LINE«** |
| **Art. No.** | **PG 2368** | **PG 2367** |
| **Colour/Material** | brushed stainless steel-black | brushed stainless steel-black |
| **PU** | display carton, 2 pcs. | display carton, 2 pcs. |
| **Wattage** | **approx. 2200 W** | **approx. 2200 W** |
| **Capacity** | approx. 975 $cm^2$ | approx. 975 $cm^2$ |
| **Features** | · **non-stick coated diecast grill plate**<br>· combined grill surface with practical handles<br>· **integrated lid for optimal use of temperature development and to cover the food on the grill**<br>· **detachable grill plate for easy cleaning**<br>· **variable thermostat**<br>· **high quality stainless steel stand**<br>· plastic housing<br>· pilot light<br>· measurements of the grill plate: approx. 41.5 x 23.5 cm | · **non-stick coated diecast grill plate**<br>· combined grill surface with practical handles<br>· **detachable grill plate and windshield for easy cleaning**<br>· including underneath storage rack<br>· **variable thermostat**<br>· **high quality stainless steel stand**<br>· plastic housing<br>· pilot light<br>· measurements of the grill plate: approx. 41.5 x 23.5 cm |
| |  |  |
| | CE (IPX4) | CE (IPX4) |
| **EAN** | 4008146012082 | 4008146012075 |

NEW

## PG 8527

VIDEO

## PG 2794

| | | |
|---|---|---|
| **Description** | **Barbecue Grill + ceramic diecast grill plate** | **Barbecue-Grill + ceramic diecast grill plate** |
| **Art. No.** | **PG 8527** | **PG 2794** |
| **Colour/Material** | black | black-white |
| **PU** | display carton, 2 pcs. | display carton, 1 piece |
| **Wattage** | **approx. 2200 W** | **approx. 2500 W** |
| **Capacity** | approx. 1145.5 cm² | approx. 1179 cm² |
| **Features** | • ceramic coated grill plate for perfect healthy grilling results<br>• highly resistant to scratching<br>• **lid detachable for easy cleaning**<br>• combined grill surface<br>• **glass lid with handle and safety lock**<br>• plastic housing<br>• fat collection tray<br>• variable thermostat<br>• detachable power cord with adjustable thermostat and indicator light<br>• **space-saving vertical storage**<br>• measurements of the grill plate approx. 29 x 39.5 cm | • **split up ceramic diecast grill plate, therefore easy to clean in the dishwasher**<br>• **large grill surface**<br>• detachable diecast plate and heating<br>• safety micro switch, heating element automatically switches off when removed<br>• **removable windshield**<br>• **enamelled steel housing**<br>• low odour- and smoke development through use of water filled tray<br>• **variable thermostat**<br>• pilot light<br>• measurements of the grill plate: approx. 44.5 x 26.5 cm |
| |  |  |
| | CE (IPX4) | CE (IPX4) |
| **EAN** | 4008146012884 | 4008146018671 |

## PG 2786

## PG 2785

| | | |
|---|---|---|
| | **Barbecue Grill** | **Barbecue Grill** |
| | **PG 2786** | **PG 2785** |
| | black-red | black-red |
| | display carton, 1 piece | display carton, 1 piece |
| | **approx. 1600 W** | **approx. 2300 W** |
| | approx. 851 cm² | approx. 851 cm² |
| | • **non-stick coated diecast grill plate, dishwasher safe**<br>• detachable grill plate and heating element<br>• safety micro switch, heating element automatically switches off when removed<br>• **detachable windshield**<br>• water refill opening in grill plate<br>• grill tray removable for easy cleaning<br>• plastic housing<br>• low generation of odours and smoke through use with water filled grill tray<br>• **variable thermostat**<br>• pilot light<br>• measurements of the grill plate: approx. 38 x 22.4 cm | • chromium-plated grill wire<br>• detachable grill wire and heating element<br>• safety micro switch, heating element automatically switches off when removed<br>• **detachable windshield**<br>• water tray removable for easy cleaning<br>• plastic housing<br>• low generation of odours and smoke through use with water filled grill tray<br>• **variable thermostat**<br>• pilot light<br>• measurements of the grill wire: approx. 37 x 23 cm |
| |  |  |
| | CE (IPX4) | CE (IPX4) |
| **EAN** | 4008146278600 | 4008146278501 |



SEVERIN

## PG 2791

## PG 2790

| | | |
|---|---|---|
| **Description** | **Barbecue Grill** | **Barbecue Grill** |
| **Art. No.** | **PG 2791** | **PG 2790** |
| **Colour/Material** | black | black |
| **PU** | display carton, 1 piece | display carton, 1 piece |
| **Wattage** | **approx. 2500 W** | **approx. 2500 W** |
| **Capacity** | approx. 1066 cm² | approx. 1066 cm² |
| **Features** | · **large grill wire**<br>· chromium plated grill wire, two cooking height adjustments<br>· detachable grill wire and heating element for easier cleaning<br>· micro-safety switch, heating element turns off automatically in case of removing<br>· **removable windshield**<br>· **enamelled steel housing**<br>· low generation of odours and smoke through use with water filled grill tray<br>· **variable thermostat**<br>· pilot light<br>· measurements of the grill wire: approx. 41 x 26 cm | · **large grill wire**<br>· chromium plated grill wire, two cooking height adjustments<br>· detachable grill wire and heating element for easier cleaning<br>· micro-safety switch, heating element turns off automatically in case of removing<br>· **enamelled steel housing**<br>· low generation of odours and smoke through use with water filled grill tray<br>· **variable thermostat**<br>· pilot light<br>· measurements of the grill wire: approx. 41 x 26 cm |
| |  |  |
| | CE (IPX4) | CE (IPX4) |
| **EAN** | 4008146279102 | 4008146279003 |
| | | |

## PG 1525

## PG 1511

| | | |
|---|---|---|
| | **Barbecue Grill** | **Barbecue Grill** |
| | **PG 1525** | **PG 1511** |
| | black | black |
| | display carton, 2 pcs. | display carton, 2 pcs. |
| | **approx. 1600 W** | **approx. 2300 W** |
| | approx. 851 cm² | approx. 851 cm² |
| | · **non-stick coated diecast grill plate, dishwasher safe**<br>· detachable grill plate and heating element<br>· micro-safety switch, heating element turns off automatically in case of removing<br>· water refill opening in grill plate<br>· grill tray removable for easy cleaning<br>· plastic housing<br>· low generation of odours and smoke through use with water filled grill tray<br>· **variable thermostat**<br>· pilot light<br>· measurements of the grill plate: approx. 38 x 22.4 cm | · chromium-plated grill wire<br>· detachable grill wire and heating element<br>· micro-safety switch, heating element turns off automatically in case of removing<br>· removable water tray for easier cleaning<br>· plastic housing<br>· low generation of odours and smoke through use with water filled tray<br>· **variable thermostat**<br>· pilot light<br>· measurements of the grill wire: approx. 37 x 23 cm |
| |  |  |
| | CE (IPX4) | CE (IPX4) |
| | 4008146152504 | 4008146151101 |
| | | |




## PG 9320

## PG 8526

## KB 2922

NEW

| | PG 9320 | PG 8526 | KB 2922 |
|---|---|---|---|
| **Description** | **Barbecue Grill** | **Barbecue Grill** | **Electric Cool Box** |
| **Art. No.** | **PG 9320** | **PG 8526** | **KB 2922** |
| **Colour/Material** | black | black | green-grey |
| **PU** | display carton, 2 pcs. | display carton, 1 pcs. | display carton, 1 pcs. |
| **Wattage** | **approx. 2300 W** | **approx. 2300 W** | **approx. 58 W** |
| **Capacity** | approx. 851 cm² | approx. 851 cm² | approx. 20 l |
| **Features** | • chromium-plated grill wire<br>• detachable grill wire and heating element for easier cleaning<br>• micro-safety switch, heating element turns off automatically in case of removing<br>• removable water tray for easier cleaning<br>• plastic housing<br>• low generation of odours and smoke through use with water filled grill tray<br>• measurements of the grill wire: 37 x 23 cm | • chromium-plated grill wire<br>• detachable grill wire and heating element for easier cleaning<br>• micro-safety switch, heating element turns off automatically in case of removing<br>• **detachable windshield**<br>• **enamelled steel housing**<br>• low generation of odours and smoke through use with water filled tray<br>• **variable thermostat**<br>• pilot light<br>• measurements of the grill wire: approx. 37 x 23 cm | • **energy efficiency class: A++**<br>• plastic housing<br>• **cooling and warming function**<br>• **with main connection and additional connector for any standard 12 volt cigarette lighter socket**<br>• cools to 20 °C below the ambient temperature<br>• keep-warm function (e.g. for food) up to ca 50 – 60 °C<br>• **environmentally friendly ECO feature reduces energy consumption to 8 W**<br>• pilot light<br>• removable lid<br>• practical handle<br>• cable storage<br>• 1 long-life, brushless electric fan motor<br>• weight approx. 4 kg<br>• approx. dimensions: (H) 42 cm, (W) = 40 cm, (D) = 28.5 cm |







| | | | |
|---|---|---|---|
| | CE ⚠ (IPX4) | CE ⚠ (IPX4) | CE |
| **EAN** | 4008146932007 | 4008146008757 | 4008146017193 |

SEVERIN

## PG 8522

## PG 2792

## PG 8523

## PG 8521

| | | | | |
|---|---|---|---|---|
| **Description** | **Barbecue Grill** | **Barbecue Grill** | **Barbecue Grill** | **Barbecue Grill** |
| **Art. No.** | **PG 8522** | **PG 2792** | **PG 8523** | **PG 8521** |
| **Colour/Material** | black | black | black | black |
| **PU** | display carton, 1 piece | display carton, 1 piece | display carton, 1 piece | display carton, 1 piece |
| **Wattage** | **approx. 1600 W** | **approx. 2500 W** | **approx. 2300 W** | **approx. 2300 W** |
| **Capacity** | approx. 851 cm² | approx. 1066 cm² | approx. 851 cm² | approx. 851 cm² |
| **Features** | · **non-stick coated diecast aluminium plate, dishwasher safe**<br>· detachable plate and heating element for easier cleaning<br>· micro-safety switch, heating element turns off automatically in case of removing<br>· water refill opening in grill plate<br>· **detachable windshield**<br>· **enamelled steel housing**<br>· low generation of odours and smoke through use with water filled grill tray<br>· **variable thermostat**<br>· with stand<br>· pilot light<br>· measurements of the grill plate approx. 38 x 22.4 cm<br>· height of the grill: 73 cm | · **large grill wire**<br>· chromium-plated grill wire with two cooking height adjustments<br>· detachable wire and heating element for easier cleaning<br>· micro-safety switch, heating element turns off automatically in case of removing<br>· **detachable windshield**<br>· **enamelled steel housing**<br>· low generation of odours and smoke through use with water filled grill tray<br>· **variable thermostat**<br>· with stand and undershelf<br>· pilot light<br>· measurements of the grill wire approx. 41 x 26 cm<br>· height of the grill: 76 cm | · chromium-plated grill wire<br>· detachable grill wire and heating element for easier cleaning<br>· micro-safety switch, heating element turns off automatically in case of removing<br>· **detachable windshield**<br>· **enamelled steel housing**<br>· low generation of odours and smoke through use with water filled grill tray<br>· **variable thermostat**<br>· pilot light<br>· with stand and undershelf<br>· measurements of the grill wire: approx. 37 x 23 cm<br>· height of the grill: 73 cm | · chromium-plated grill wire<br>· detachable grill wire and heating element for easier cleaning<br>· micro-safety switch, heating element turns off automatically in case of removing<br>· **detachable windshield**<br>· **enamelled steel housing**<br>· low generation of odours and smoke through use with water filled grill tray<br>· **variable thermostat**<br>· pilot light<br>· with stand<br>· measurements of the grill wire: approx. 37 x 23 cm<br>· height of the grill: 73 cm |













| | | | | |
|---|---|---|---|---|
| | CE (IPX4) | CE (IPX4) | CE (IPX4) | CE (IPX4) |
| **EAN** | 4008146852206 | 4008146279201 | 4008146852305 | 4008146852107 |

NEW

## KG 2397

| | |
|---|---|
| **Description** | **Table Grill** |
| **Art. No.** | **KG 2397** |
| **Colour/Material** | brushed stainless steel-black |
| **PU** | display carton, 2 pcs. |
| **Wattage** | **approx. 2200 W** |
| **Capacity** | |
| **Features** | · **high-quality non-stick XXL coated plate, surface approx. 2052 cm²**<br>· removable cord with variable thermostat and pilot light<br>· stainless steel front panel<br>· fat collection tray<br>· suitable for Japanese „Teppan Yaki“<br>· measurements of the grill plate: approx. 59.5 x 34.5 cm |
| |   |
| | CE |
| **EAN** | 4008146012495 |

## KG 2388

| | |
|---|---|
| **Table Grill** | |
| **KG 2388** | |
| black | |
| display carton, 2 pcs. | |
| **approx. 2200 W** | |
| | |
| · **high quality non-stick coated plate, surface approx. 1160 cm²**<br>· **removable cord with variable thermostat and pilot light**<br>· removable fat collection tray<br>· suitable for Japanese „Teppan Yaki“<br>· **additional „hotzone“ with higher temperature**<br>· measurements of the grill plate approx. 25.4 x 45.7 cm | |
| CE | |
| 4008146238802 | |



## KG 2392

| | |
|---|---|
| **Automatic Grill** | |
| **KG 2392** | |
| brushed stainless steel-silver | |
| display carton, 2 pcs. | |
| **approx. 1800 W** | |
| | |
| · suitable for preparing meat, poultry, snacks, panini<br>· heat resistant painting<br>· measurements of the grill plate: 27 x 24 cm<br>· **2 sets of removable, non-stick coated plates: grooved grill plates and flat roast plates**<br>· removable easy clean grill plates<br>· **floating hinge with stop device for "au gratin" cooking**<br>· **barbecue function: grill can be opened for large barbecue surface**<br>· on/off switch<br>· temperature control<br>· pilot lights<br>· fat collection tray | |
| CE | |
| 4008146003530 | |

## KG 2389

| | |
|---|---|
| **Automatic Grill** | |
| **KG 2389** | |
| black-silver | |
| display carton, 3 pcs. | |
| **approx. 1800 W** | |
| | |
| · suitable for preparing meat, poultry, snacks, panini<br>· heat resistant painting<br>· measurements of the grill plate: 33 x 24 cm<br>· **non-stick grill plates**<br>· **floating hinge with stop device for "au gratin" cooking**<br>· removable easy clean grill plates<br>· **barbecue function: grill can be opened for large barbecue surface**<br>· temperature control<br>· pilot light<br>· 2 fat collection trays<br>· plastic handle | |
| CE | |
| 4008146003622 | |





NEW

## RG 2687

## RG 2685

## RG 2343

## RG 2341

| | RG 2687 | RG 2685 | RG 2343 | RG 2341 |
|---|---|---|---|---|
| **Description** | **Pizza-Raclette Grill** | **Raclette Grill** | **Raclette Grill with natural grill stone** | **Raclette Grill with natural grill stone** |
| **Art. No.** | **RG 2687** | **RG 2685** | **RG 2343** | **RG 2341** |
| **Colour/Material** | black | brushed stainless steel-black | black | black |
| **PU** | display carton, 2 pcs. | display carton, 3 pcs. | display carton, 2 pcs. | display carton, 2 pcs. |
| **Wattage** | **approx. 1150 W** | **approx. 1300 W** | **approx. 1500 W** | **approx. 1500 W** |
| **Capacity** | 8 non-stick coated mini-pans | 8 non-stick coated mini-pans | 8 non-stick coated mini pans | 8 non-stick coated mini pans |
| **Features** | · high-quality plastic housing<br>· **2 heating elements independently adjustable at top for grill plate and at bottom for raclette pans**<br>· 2 on/off switch with pilot light<br>· 8 wooden spatula<br>· **reversible non-stick grill plate, with ribbed and smooth surfaces**<br>· **incl. pizza cutter**<br>· variable thermostat<br>· measurements of the grill plate: approx. 35 x 21.5 cm | · high quality plastic housing<br>· brushed stainless-steel front cover<br>· **reversible non-stick grill plate, with ribbed and smooth surfaces**<br>· on/off switch with pilot light<br>· variable thermostat with pilot light<br>· measurements of the grill wire: approx. 37 x 24 cm | · high quality plastic housing<br>· **natural grill stone for low-fat healthy grilling**<br>· 2 pilot lights for heating function<br>· variable thermostat<br>· measurements of the grill wire: approx. 50 x 25 cm | · high quality plastic housing<br>· **combined grill surface**<br>· **natural grill stone for low-fat healthy grilling**<br>· **reversible, non-stick diecast grill plate for grilling on the one side and 4 mini crêpes on the other side**<br>· 2 pilot lights for heating function<br>· variable thermostat<br>· measurements of the grill wire: approx. 49 x 25 cm |
| | CE | CE | CE | CE |
| **EAN** | 4008146018855 | 4008146004520 | 4008146002670 | 4008146234101 |

NEW

| | RG 2683 | RG 2681 | RG 2686 |
|---|---|---|---|
| **Description** | **Raclette Grill with natural grill stone** | **Raclette Grill** | **Raclette Grill** |
| **Art. No.** | **RG 2683** | **RG 2681** | **RG 2686** |
| **Colour/Material** | black | black | black |
| **PU** | display carton, 2 pcs. | display carton, 3 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 1300 W** | **approx. 1100 W** | **approx. 600 W** |
| **Capacity** | 8 non-stick coated mini-pans | 8 non-stick coated mini-pans | 4 non-stick coated mini-pans |
| **Features** | · high quality plastic housing<br>· **combined grill surface**<br>· **natural grill stone for perfect heat storage.** The natural stone has special heat-retaining abilities. The higher grill temperature immediately seals the meat, which is then cooked more gently, remaining tender and juicy.<br>· **reversible, non-stick grill plate for grilling**<br>· pilot light<br>· variable thermostat<br>· measurements of the grill wire: approx. 41 x 21 cm | · high quality plastic housing<br>· **non-stick coated grill pan, approx. 815 cm²**<br>· variable thermostat<br>· pilot light | · high-quality plastic housing<br>· on/off switch with pilot light<br>· measurements of the grill plate: approx. 21 x 21 cm<br>· **non-stick coated grill pan** |
| | CE | CE | CE |
| **EAN** | 4008146003196 | 4008146268106 | 4008146009686 |

| | FO 2400 | FO 9237 |
|---|---|---|
| **Description** | **Fondue** | **Fondue** |
| **Art. No.** | **FO 2400** | **FO 9237** |
| **Colour/Material** | chrome-black | chrome-dark grey |
| **PU** | display carton, 4 pcs. | display carton, 4 pcs. |
| **Wattage** | **approx. 800 W** | **approx. 800 W** |
| **Capacity** | approx. 1.25 l | approx. 1.25 l |
| **Features** | · variable thermostat<br>· **1.25 liter removable stainless steel pot**<br>· splash guard with fork supports<br>· base made of heat resistant plastic material<br>· safety cut-out<br>· 8 fondue forks | · adjustable thermostat<br>· **1.25 liter removable stainless steel pot**<br>· with fork supports<br>· base made of heat resistant plastic material<br>· safety cut-out<br>· 6 fondue forks |
| | CE | CE |
| **EAN** | 4008146240003 | 4008146923708 |

GERMAN QUALITY
since 1892

SEVERIN

NEW

**Rechargeable Vacuum Cleaner**
**AH 7914**

# Household

That small household has grown and grown in recent years. And with it the mountain of washing. So our versatile appliances like the automatic steam irons are just the job. They iron the laundry almost by themselves, and make your everyday life that bit more colourful. And all that at an extremely attractive price. When it comes to price, our innovative floor care products, which compliment the range perfectly are no exception. No wonder then that our domestic helpers are selling like hot cakes and that the shelves are quickly in need of a refill.

NEW

**Steam Iron**
**BA 3222**

# IRONING MADE EASY

Some do it while watching TV, others concentrate on it fully, some do it to relax, others reluctantly: Ironing – there's hardly a household anywhere that doesn't do it. But no matter how different their inclinations and preferences are, the demands placed on a **good iron** are the same. It should **work smoothly** and provide a perfect result without any fuss.

Our irons are not only very visually appealing by virtue of **attractive colour combinations**, they also impress by being **very comfortable to use**.

NEW

| | BA 3222 | BA 3210 |
|---|---|---|
| **Description** | **Steam Iron** | **Steam Iron** |
| **Art. No.** | **BA 3222** | **BA 3210** |
| **Colour/Material** | white-purple-grey | white-purple |
| **PU** | display carton, 4 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 2700 W** | **approx. 2500 W** |
| **Capacity** | approx. 350 ml | approx. 330 ml |
| **Features** | · for steam and dry ironing<br>· variable setting of steam quantity up to 27 g/min.<br>· vertical steam up up to 85 g/min.<br>· automatic shut-off<br>· with spray function<br>· **anti drip function**<br>· self-cleaning system<br>· transparent water tank<br>· **non-stick ceramic coated soleplate**<br>· rubber handle for safe handling<br>· variable thermostat<br>· pilot light<br>· thermal safety cut-out<br>· water level indicator<br>· reversible cord<br>· measuring cup | · for steam and dry ironing<br>· variable setting of steam quantity up to 30 g/min.<br>· **with vertical shot of steam up to 70 g/min.**<br>· automatic shut off<br>· double-spray function<br>· **anti scale feature**<br>· **anti drip function**<br>· self cleaning system<br>· transparent water tank<br>· **non-stick ceramic coated soleplate**<br>· rubber coated handle for safe handling<br>· variable thermostat<br>· temperature pilot light<br>· ready-to-use indicator, water level indicator<br>· thermal safety cut-out<br>· reversible power cord<br>· cable storage<br>· measuring cup |
| | CERAMIC | CERAMIC |
| | CE | CE |
| **EAN** | 4008146014987 | 4008146321009 |



| | BA 3241 | BA 3243 | BA 3242 |
|---|---|---|---|
| **Description** | **Steam Iron** | **Steam Iron** | **Steam Iron** |
| **Art. No.** | **BA 3241** | **BA 3243** | **BA 3242** |
| **Colour/Material** | white-petrol | white-purple | white-green |
| **PU** | display carton, 6 pcs. | display carton, 6 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 2400 W** | **approx. 2400 W** | **approx. 2200 W** |
| **Capacity** | approx. 300 ml | approx. 200 ml | approx. 200 ml |
| **Features** | · for steam and dry ironing<br>· variable steam up to 30 g/min<br>· **vertical steam up to 75 g/min**<br>· with spray function<br>· self-cleaning system<br>· **anti-scale system**<br>· **anti-drip system**<br>· transparent water tank<br>· water level indicator<br>· **non-stick ceramic coated soleplate**<br>· **automatic shut-off**<br>· variable thermostat<br>· pilot light<br>· thermal safety cut-out<br>· reversible cord<br>· cable storage<br>· measuring cup | · for steam and dry ironing<br>· variable steam up to 30 g/min<br>· **vertical steam up to 70 g/min**<br>· with spray function<br>· self-cleaning system<br>· **anti-scale system**<br>· **anti-drip system**<br>· transparent water tank<br>· water level indicator<br>· **non-stick ceramic coated soleplate**<br>· rubber handle for safe handling<br>· variable thermostat<br>· pilot light<br>· thermal safety cut-out<br>· reversible cord<br>· cable storage<br>· measuring cup | · for steam and dry ironing<br>· variable steam up to 30 g/min<br>· **vertical steam up to 70 g/min**<br>· with spray function<br>· **self-cleaning system**<br>· transparent water tank<br>· water level indicator<br>· **stainless steel soleplate**<br>· rubber handle for safe handling<br>· variable thermostat<br>· pilot light<br>· thermal safety cut-out<br>· reversible cord<br>· measuring cup |
| | CERAMIC | CERAMIC | |
| | CE | CE | CE |
| **EAN** | 4008146324109 | 4008146324307 | 4008146324208 |
| **Other colours / EAN** | | | |





| | BA 3256 | BA 3274 | BA 3234 |
|---|---|---|---|
| | BA 3251 · BA 3276 | | |
| **Description** | **Steam Iron** | **Steam Iron** | **Travel Steam Iron** |
| **Art. No.** | **BA 3256** | **BA 3274** | **BA 3234** |
| **Colour/Material** | blue-white | white-blue-grey | silver-blue |
| **PU** | display carton, 6 pcs. | display carton, 4 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 2400 W** | **approx. 1750 W** | **approx. 1000 W** |
| **Capacity** | approx. 190 ml | approx. 170 ml | approx. 50 ml |
| **Features** | · for steam and dry ironing<br>· variable steam up to 30 g/min.<br>· **vertical steam up to 85 g/min.**<br>· with spray function<br>· **self-cleaning system**<br>· removable transparent water tank<br>· **stainless-steel soleplate**<br>· variable thermostat<br>· pilot light<br>· thermal safety cut-out<br>· water-level indicator<br>· reversible cord | · for steam and dry ironing<br>· variable steam<br>· vertical steam<br>· with spray function<br>· **self-cleaning system**<br>· transparent water tank<br>· **stainless steel soleplate**<br>· variable thermostat<br>· pilot light<br>· thermal safety cut-out<br>· water level indicator<br>· reversible cord<br>· cable storage<br>· measuring cup | · for steam and dry ironing<br>· vertical steam<br>· **stainless-steel soleplate**<br>· **dual voltage: 115 or 230 V**<br>· additional steam function<br>· variable thermostat<br>· pilot light<br>· **foldable handle**<br>· transparent water tank<br>· thermal safety cut-out<br>· measuring cup |
| | CE | CE | CE |
| **EAN** | 4008146325601 | 4008146010132 | 4008146000447 |
| **Other colours / EAN** | **BA 3251** white-purple / 4008146325106<br>**BA 3276** black-white / 4008146002373 | | |





| | BA 3211 | AH 7914 | CS 7976 |
|---|---|---|---|
| **Description** | **Dry Iron** | **Rechargeable Vacuum Cleaner** | **Fluff Razor** |
| **Art. No.** | **BA 3211** | **AH 7914** | **CS 7976** |
| **Colour/Material** | white | white-green | white |
| **PU** | display carton, 6 pcs. | display carton, PU 4 pcs. | display carton, 12 pcs. |
| **Wattage** | **approx. 1200 W** | | |
| **Capacity** | | | |
| **Features** | · polished aluminium soleplate<br>· variable thermostat<br>· pilot light<br>· thermal safety cut-out<br>· reversible cord | · cordless hand vacuum cleaner, **Li-Ion Accu**<br>· **12 V charging cable for cigarette lighter socket**<br>· easy to clean filter<br>· **powerful suction to pick up both dirt and liquid**<br>· **powered by 7.4 V rechargeable Li-Ion-accu**<br>· rubber nozzle to pick up liquid<br>· crevice nozzle with push-on-brush<br>· charging indicator<br>· integrated overcharge and deep-discharge protection<br>· **wall bracket with power base**<br>· with screws and plastic plugs for wall bracket | · handy fluff razor<br>· **suitable for easy removing of fluffs or knobs**<br>· metal fluff grid<br>· spacer for coarser woollen surfaces<br>· detachable transparent fluff bin<br>· on/off switch<br>· required source of energy: 2 Babycells C, 1.5 V (included) |
| | CE | CE | CE |
| **EAN** | 4008146004223 | 4008146018787 | 4008146797606 |

SEVERIN

**S'POWER nonstopXL**
**MY 7115**

SIEGER PREIS/LEISTUNG
Haus & Garten Test 1/2014
(1,7) gut
Severin MY 7115
Leises, praktisches Kraftpaket zum mehr als fairen Preis

PLUS X AWARD®
2014 achieved for:
Design
Ease of Use

# INNOVATIVE POWER PACKS TO COMBAT DUST

The **new floor care range that we have completely developed ourselves** sees us opening up a new chapter in the company's history. Efficiency, durability and safety form the core of our product concept. Just as second nature to us are high-quality materials, use of the latest technologies and attractive surfaces and shapes. We attach particularly great value to comfort and practicality. Cleaning equipment is often used daily and should therefore feel good and be easy to use.

**All Floorcare products** can be found in our **separate brochure »Floorcare Range«** or on our website **www.severin-floorcare.com.**

GERMAN QUALITY
since 1892

SEVERIN

# Personal Care

The trend is your friend! That also applies to the current popular colours of our personal care products – from hair dryers to straighteners to curling tongs. Things that look that good are much sought after. That's because as everyone knows, the product's attractive appearance is transferred directly to the user – at least according to the psychology that's crucial to those purchasing decisions. Besides their appearance, another thing that of course also helps achieve a really good styling result is the outstanding technology of our products. You'll look your best with these products!

**NEW** **Hair Dryer HT 0140**

# RETRACTABLE CABLE AT THE PRESS OF A BUTTON

A sufficiently long cable on the hair-dryer is essential for **to dry all of the hair** and to **put the style into shape**. But everyone will at some time have found that the cable somehow gets in the way once they've finished using the hair dryer. Our new **hair-dryer HT 0141** provides full styling performance and tidy retraction afterwards, because its **cable dis-appears inside the housing at the press of a button once you've finished using it**.
It also impresses with its **high-quality metallic varnish finish and modern design**.

NEW

| | HT 0141 | HT 0112 |
|---|---|---|
| **Description** | **Hair Dryer** | **Professional Hair Dryer** |
| **Art. No.** | **HT 0141** | **HT 0112** |
| **Colour/Material** | platinum grey | black-purple |
| **PU** | display carton, 6 pcs. | display carton, 6 pcs. |
| **Wattage** | **approx. 2100 W** | **approx. 1900 W** |
| **Capacity** | | |
| **Features** | · **cable retracts at the touch of a button**<br>· 2 speed settings, 3 temperature settings<br>· cold air-stream button helps to fix hair-style after heat treatment<br>· detachable styling nozzle for focused air-stream<br>· **volume diffuser for gentle drying of curls and waves**<br>· air-inlet grille detachable for cleaning<br>· **high quality metallic coating** | · compact design<br>· **long-life high-performance AC motor**<br>· 2 speed settings, 3 temperature settings<br>· cold air-stream button helps to fix hair-style after heat treatment<br>· **IONIC function reduces static charge affecting the hair**<br>· ceramic-coated air-outlet grille optimises the effect of the Ionic technology<br>· concentrator styling nozzle for powerful, focused air-stream<br>· **volume diffuser for gentle drying of curls and waves**<br>· air-inlet grille detachable for cleaning<br>· hanging-loop<br>· soft-touch housing |
| | | AC MOTOR IONIC |
| | CE | CE |
| **EAN** | 4008146019265 | 4008146011207 |



SEVERIN

NEW

## HT 0130

| | |
|---|---|
| **Description** | **Hair Dryer** |
| **Art. No.** | **HT 0130** |
| **Colour/Material** | black-silver |
| **PU** | display carton, 6 pcs. |
| **Wattage** | **approx. 2000 W** |
| **Capacity** | |
| **Features** | • 2 speed settings, 3 temperature settings<br>• cold air-stream button helps to fix hair-style after heat treatment<br>• **separate additional IONIC function (with indicator light) reduces static charge affecting the hair**<br>• ceramic-coated air-outlet grille optimises the effect of the IONIC technology<br>• detachable styling nozzle for focused air-stream<br>• **volume diffuser for gentle drying of curls and waves**<br>• air-inlet grille detachable for cleaning<br>• hanging-loop<br>• soft-touch housing |
| | IONIC |
| | CE |
| **EAN** | 4008146013003 |



## HT 0140

| | |
|---|---|
| **Hair Dryer** | |
| **HT 0140** | |
| black metallic | |
| display carton, 6 pcs. | |
| **approx. 1900 W** | |
| | |
| • 2 speed and temperature settings<br>• **young and modern metallic-design**<br>• cold air-stream button helps to fix the hair-style after heat treatment<br>• detachable styling nozzle for focused air-stream<br>• hanging-loop | |
| | |
| CE | |
| 4008146018695 | |



## HT 0164

| |
|---|
| **Hair Dryer** |
| **HT 0164** |
| white-coral red |
| display carton, 6 pcs. |
| **approx. 2000 W** |
| |
| • 2 speed and temperature settings<br>• cold-air button<br>• detachable styling nozzle for focused air-stream<br>• **volume diffuser for gentle drying of curls and waves**<br>• overheating protection<br>• air-inlet grille detachable for leaning<br>• hanging-loop |
| |
| CE |
| 4008146014680 |



## HT 0150

| |
|---|
| **Hair Dryer** |
| **HT 0150** |
| purple-black |
| display carton, 6 pcs. |
| **approx. 1800 W** |
| |
| • 2 speed settings, 3 temperature settings<br>• cold-air button helps to fix hair-style after heat treatment<br>• detachable styling nozzle for focused air-stream<br>• air-inlet grille detachable for cleaning<br>• non-skid rubber studs on both sides<br>• hanging-loop |
| |
| CE |
| 4008146015007 |

SEVERIN

## HT 0152

| | |
|---|---|
| **Description** | **Sports and Travel Hair Dryer** |
| **Art. No.** | **HT 0152** |
| **Colour/Material** | white-purple |
| **PU** | display carton, 12 pcs. |
| **Wattage** | **approx. 1200 W** |
| **Capacity** | |
| **Features** | • **dual voltage: 115 or 230 V**<br>• 2 speed and temperature settings<br>• detachable styling nozzle for focused air-stream<br>• **foldable handle**<br>• hanging-loop<br>• practical storage pouch |
| | CE |
| **EAN** | 4008146015205 |

## HT 0163

| | |
|---|---|
| **Mini-Hair Dryer** | |
| **HT 0163** | |
| white-coral red | |
| display carton, 6 pcs. | |
| **approx. 1200 W** | |
| | |
| • 2 speed and temperature settings<br>• overheating protection<br>• hanging-loop | |
| CE | |
| 4008146014703 | |

## LS 0670

| | |
|---|---|
| **Hair Curler** | |
| **LS 0670** | |
| purple-black | |
| display carton, 12 pcs. | |
| | |
| • **hair curler Ø 25 mm with special ceramic coating for smooth, hair-friendly treatment**<br>• detachable ceramic-coated curling brush<br>• on/off switch with 2 temperature settings<br>• indicator light<br>• fold-up stand<br>• heat-insulated safety tip<br>• power cord with swivel joint to prevent damage to the cord<br>• hanging-loop | |
| CERAMIC<br>CE | |
| 4008146067006 | |

## LS 0674

| | |
|---|---|
| **Hair Curler** | |
| **LS 0674** | |
| black | |
| display carton, 6 pcs. | |
| | |
| • hair curler Ø 19 mm<br>• fold-up stand<br>• **ready for instant use**<br>• on/off switch<br>• indicator light<br>• power cord with swivel joint to prevent damage to the cord<br>• hanging-loop | |
| CE | |
| 4008146010316 | |

SEVERIN

NEW

## HC 0614

| | |
|---|---|
| **Description** | **Hair Straightener** |
| **Art. No.** | **HC 0614** |
| **Colour/Material** | black-purple |
| **PU** | display carton, 12 pcs. |
| **Temperature** | **max. 180 °C** |
| **Capacity** | |
| **Features** | • on/off switch with 2 temperature settings up to 180 °C<br>• **ceramic-coated plates for optimised heat distribution and extra-smooth surfaces**<br>• plate dimensions: 25 x 90 mm<br>• indicator light<br>• ready for instant use<br>• special lock for travel and space-saving storage<br>• hanging-loop<br>• power cord with swivel joint to prevent damage to the cord |
| | CERAMIC |
| | CE |
| **EAN** | 4008146061400 |

## HC 0621

| | |
|---|---|
| **Mini Hair Straightener** | |
| **HC 0621** | |
| black-bronze | |
| display carton, 12 pcs. | |
| **max. 180 °C** | |
| | |
| • compact design, ideally suited for travelling<br>• **ceramic-coated plates for optimised heat distribution and extra-smooth surfaces**<br>• special locking mechanism makes transport easy and secure<br>• plate dimensions: 14 x 60 mm<br>• ready for instant use<br>• on/off switch | |
| CERAMIC | |
| CE | |
| 4008146015373 | |

## WL 0801

| | |
|---|---|
| **Hot-air Hair Curler** | |
| **WL 0801** | |
| silver-black | |
| display carton, 6 pcs. | |
| **approx. 800 W** | |
| | |
| • 2 speed and temperature settings<br>• cold air-stream setting to fix the hairstyle<br>• attachment release button<br>• **round-brush attachement (Ø 32 mm) with ceramic coated bristles and insulated finger tip**<br>• brush attachment (Ø 20 mm) with natural bristles<br>• styling nozzle for use of the appliance as hairdryer when travelling<br>• power cord with swivel joint to prevent damage to the cord<br>• indicator light | |
| CERAMIC | |
| CE | |
| 4008146080104 | |

## WL 0805

| | |
|---|---|
| **Hot-air Hair Curler »6 in 1«** | |
| **WL 0805** | |
| black-purple | |
| display carton, 6 pcs. | |
| **approx. 700 W** | |
| | |
| • 2 speed and temperature settings<br>• cold air-stream setting to fix the hairstyle<br>• **IONIC function reduces static charge affecting the hair**<br>• attachment release button<br>• **round-brush attachment (Ø 30 mm) with retractable bristles**<br>• round brush attachment, Ø approx. 20 mm<br>• separate styling-nozzle attachment allows use as a hair dryer when travelling<br>• curling attachment without bristles, Ø 20 mm<br>• round-brush attachment, Ø 33 mm<br>• semi-round brush<br>• power cord with swivel joint to prevent damage to the cord<br>• hanging-loop<br>• indicator light | |
| IONIC | |
| CE | |
| 4008146080500 | |

SEVERIN

| | WL 0802 | WL 0811 | WL 0806 |
|---|---|---|---|
| **Description** | **Hot-air Hair Curler** | **Hot-air Hair Curler** | **Hot-air Hair Curler** |
| **Art. No.** | **WL 0802** | **WL 0811** | **WL 0806** |
| **Colour/Material** | purple-black | white-coral red | black-purple |
| **PU** | display carton, 12 pcs. | display carton, 6 pcs. | display carton, 12 pcs. |
| **Wattage** | **approx. 400 W** | **approx. 250 W** | **approx. 400 W** |
| **Capacity** | | | |
| **Features** | • 2 speed and temperature settings<br>• cold air-stream setting to fix the hairstyle<br>• **dual voltage: 115 or 230 V**<br>• **2 attachments with synthetic bristles** (∅ 19 and 23 mm) with heat-insulated safety tip<br>• automatic curl release at the touch of a button facilitates releasing the hair strands<br>• power cord with swivel joint to prevent damage to the cord<br>• hanging-loop | • 2 speed and temperature settings<br>• round-brush attachment, ∅ 22 mm<br>• **bristles retract at the touch of a button**<br>• power cord with swivel joint to prevent damage to the cord | • 2 speed and temperature settings<br>• automatic curl release at the touch of a button facilitates releasing the hair strands<br>• round brush attachment (∅ 22 mm)<br>• **dual voltage: 115 or 230 V**<br>• power cord with swivel joint to prevent damage to the cord<br>• hanging-loop |
| | CE | CE | CE |
| **EAN** | 4008146080203 | 4008146014727 | 4008146080609 |





| | HS 0702 | HS 0704 | HS 0707 |
|---|---|---|---|
| **Description** | **Hair and Beard Trimmer** | **Hair Trimmer** | **Hair Trimmer** |
| **Art. No.** | **HS 0702** | **HS 0704** | **HS 0707** |
| **Colour/Material** | black-silver | black-silver | black |
| **PU** | display carton, 6 pcs. | display carton, 12 pcs. | display carton, 6 pcs. |
| **Wattage** | **60 minutes** | **45 minutes** | |
| **Capacity** | | | |
| **Features** | • **titanium-coated stainless-steel blades**<br>• charging and storage base<br>• mains or battery operated<br>• up to 60 minutes' operating time with battery pack<br>• **2 interchangeable trimming heads, 20 and 30 mm wide**<br>• 2 attachments each for 3, 6, 9 and 12 mm cutting lengths<br>• soft-touch housing<br>• extensive range of accessories: comb, scissors, cleaning brush, oil bottle | • mains or battery operated<br>• **up to 45 minutes' operating time with battery pack**<br>• stainless-steel blades, width 35 mm<br>• on/off switch<br>• indicator light<br>• **thinning head for thinning out hair, doubles as protective cover**<br>• 2 attachments for 3, 6, 9 and 12 mm cutting lengths<br>• soft-touch housing<br>• extensive range of accessories: comb, scissors, cleaning brush, oil bottle | • mains operation<br>• **stainless-steel blades, width approx. 40 mm**<br>• on/off switch<br>• 4 attachments for 3, 6, 9 and 13 mm cutting lengths<br>• ergonomic left-right cutting attachments<br>• fine adjustment from 1 – 1.6 mm<br>• attachment eye<br>• accessories: cleaning brush, oil bottle, protective cap for cutting head |
| | CE | CE | CE |
| **EAN** | 4008146070204 | 4008146070402 | 4008146008696 |



SEVERIN

## HS 0781

| | |
|---|---|
| **Description** | **Nose and Ear Hair Trimming Set** |
| **Art. No.** | **HS 0781** |
| **Colour/Material** | stainless-steel/black |
| **PU** | display carton, 12 pcs. |
| **Wattage** | |
| **Capacity** | |
| **Features** | · battery-powered, 1 x AA battery included<br>· storage station<br>· stainless-steel blades<br>· **2 trimming heads: rotary trimming system with 16 mm trimming head for contours/shaping**<br>· protective cover for nose-hair trimmer attachment<br>· soft-touch housing<br>· cleaning brush<br>· illumination<br>· on/off switch |
| | CE |
| **EAN** | 4008146078101 |

## FM 7635

| | |
|---|---|
| **Foot-Massager** | |
| **FM 7635** | |
| white-blue | |
| display carton, PU 3 pcs. | |
| **approx. 60 W** | |
| · plastic housing<br>· **for use with or without water, as well as for air-bubble massage**<br>· 4-stage switch<br>· removable splash protection<br>· **foot rollers for zone massage**<br>· massage supporting foot rest<br>· water level marks and pouring out cavity<br>· 4 anti-skid rubber feet | |
| CE | |
| 4008146010811 | |



## PW 7010

| | |
|---|---|
| **Glass Body Fluid / Fat Analysis Scale** | |
| **PW 7010** | |
| display carton, PU 4 pcs. | |
| **weighing capacities: 5 - 180 kg** | |
| · **analyse body weight, body fat, body fluid, muscle and bone mass, calorie requirement per day, BMI**<br>· high precision sensing<br>· weight display in kg and lbs<br>· auto switch on through touch sensor<br>· auto switch off<br>· 100 g graduations<br>· **LCD display**<br>· battery display<br>· safety-glass weighing surface<br>· size of platform approx. 300 x 300 mm<br>· **brushed stainless steel electrodes**<br>· 10 user memory functions<br>· non-skid rubber feet<br>· requires 2 x 3 V batteries CR 2032 (included) | |
| max. 180 · BODY FAT · BONE MASS · MUSCEL CONTENT · WATER LEVELS · DAILY CALORIE · BMI | |
| CE | |
| 4008146013188 | |




## PW 7009

| | |
|---|---|
| **Glass Bathroom Scale** | |
| **PW 7009** | |
| display carton, PU 4 pcs. | |
| **weighing capacities: 5 - 180 kg** | |
| · **high precision sensing**<br>· auto switch on through touch sensor<br>· auto switch off<br>· 100 g graduations<br>· **LCD display**<br>· battery display<br>· non-skid rubber feet<br>· size of platform approx. 303 x 303 mm<br>· requires 1 x 3 V batteries CR 2032 (included) | |
| CE | |
| 4008146012440 | |



| Article | EAN-number | for: |
|---|---|---|
| **GK 5412 Glass jug, 0.35 l** | 4008146003929 | KA 5978 |
| **GK 5464 Glass jug, 0.46 l** | 4008146546402 | KA 4805 |
| **GK 5462 Glass jug, 0.55 l** | 4008146011795 | KA 4804 |
| **GK 5401 Glass jug, 1.10 l** | 4008146540103 | KA 5802 |
| **GK 5400 Glass jug, 1.20 l** | 4008146540004 | KA 5702 |
| **GK 5384 Glass jug, 1.40 l** | 4008146538407 | KA 4312, KA 4481 |
| **GK 5386 Glass jug, 1.40 l** | 4008146014949 | KA 4484, KA 4489 |
| **GK 5406 Glass jug, 1.40 l** | 4008146540608 | KA 4049 |
| **GK 5453 Glass jug, 1.40 l** | 4008146545306 | KA 4041 |
| **GK 5490 Glass jug, 1.40 l** | 4008146004070 | KA 4212 |
| **GK 5491 Glass jug, 1.40 l** | 4008146008849 | KA 4213 |
| **GK 5492 Glass jug, 1.40 l** | 4008146011603 | KA 4479 |
| **GK 5493 Glass jug, 1.40 l** | 4008146011627 | KA 4478 |
| **GK 5495 Glass jug, 1.40 l** | 4008146012013 | KA 4190, KA 4191, KA 4490, KA 4491, KA 4492 |
| **GK 5496 Glass jug, 1.40 l** | 4008146018251 | KA 4460, KA 4462 |
| **GK 5498 Glass jug, 1.40 l** | 4008146549809 | KA 4177, KA 4178 |
| **GK 5502 Glass jug, 1.40 l** | 4008146550201 | KA 4042 |
| **GK 5528 Glass jug, 1.40 l** | 4008146552809 | KA 4031 |
| | | |
| **TK 5437 Vacuum jug, 1.0 l** | 4008146543708 | KA 5828 |
| **TK 5533 Vacuum jug, 1.0 l** | 4008146553301 | KA 4114, KA 9233 |
| **TK 5536 Vacuum jug, 1.0 l** | 4008146553608 | KA 4115, KA 9234 |
| **TK 9546 Vacuum jug, 1.0 l** | 4008146954603 | KA 5827 |
| **TK 9580 Vacuum jug, 1.0 l** | 4008146958007 | KA 9481, KA 9482 |
| **TK 9567 Stainless steel vacuum jug, 1.0 l** | 4008146956706 | KA 5742 |
| **TK 9568 Stainless steel vacuum jug, 1.0 l** | 4008146016523 | KA 4131, KA 4141 |
| **TK 9570 Stainless steel vacuum jug, 1.4 l** | 4008146957000 | KA 4125 |
| | | |
| **EG 3517 Spare jars** | 4008146351709 | JG 3516 |
| **EG 3524 Spare jars** | 4008146016073 | JG 3523 |
| **EG 3529 Spare jars** | 4008146352904 | JG 3519 |
| **ZU 3608 Spare foil** | 4008146010378 | FS 3604 |
| **ZU 3607 Spare bags, 20 x 30 cm** | 4008146013157 | FS 3609 |
| **ZU 3612 Spare bags, 30 x 40 cm** | 4008146015113 | FS 3609 |
| **SU 9005 Stand** | 4008146900501 | PG 8521, PG 8522, PG 8523 |
| **KT 9034 Fondue forks** | 4008146903403 | FO 2400, FO 9237 |
| **ET 9041 Spare blades for frozen food** | 4008146904103 | EM 3965 |
| **ET 9043 Spare blades** | 4008146904301 | EM 3965 |
| **ZB 9056 2 x Drink holders, 600 ml** | 4008146014901 | SM 3735 |
| **ZB 9059 Glass bowl, 1.0 l** | 4008146018176 | SM 3737, SM 3738 |
| **ZB 9063 Food chopper, 130 ml** | 4008146018817 | SM 3738 |
| **ZT 9755 Blender Attachment** | 4008146014802 | KM 3890, KM 3891 |
| **ZT 9756 Ballon whisk** | 4008146014826 | KM 3890, KM 3891 |
| **ZT 9757 Flat beater** | 4008146014840 | KM 3890, KM 3891 |
| **ZT 9758 Dough hook** | 4008146014864 | KM 3890, KM 3891 |
| | | |
| **ZB 8684 Thermo-milk container** | 4008146002809 | for fully automatic coffe makers „PICCOLA“, S2, S2+ |
| **ZB 8694 Milk system cleaner** | 4008146869402 | for fully automatic coffe makers „PICCOLA“, S2+ |
| **ZB 8696 Milk intake hose** | 4008146004599 | for fully automatic coffe makers „PICCOLA“, S2, S2+ |
| **ZB 8697 Descaling tablets** | 4008146869709 | for fully automatic coffe makers „PICCOLA“, S2, S2+ |
| **ZB 8698 Cleaning tablets** | 4008146869808 | for fully automatic coffe makers „PICCOLA“, S2, S2+ |
| **ZB 8699 Water filter** | 4008146869907 | for fully automatic coffe makers „PICCOLA“, S2, S2+ |
| **ZB 8688 Coffee blend** | 4008146009792 | for fully automatic coffe makers „PICCOLA“, S2, S2+ |

SEVERIN

TASTEFUL TECHNOLOGY

**SEVERIN**
**Elektrogeräte GmbH**
Röhre 27
59846 Sundern
Germany

Phone: +49/2933/982-0
Fax: +49/2933/982-370
e-Mail: export@severin.de

0012.045

Download our catalogue here:
**www.severin.com/programme-2015**

Model specifications are subject to change. Printed in Germany 2/2015.